

HINGHAM POLICE DEPARTMENT

Incident #: 16006294 Date: 2016-02-08 00:25:17 Type: BUILDING CHK

Location: SOUTH ELEMENTARY SCHOOL / 831 MAIN ST Disposition: APPEARS SECURE ()

*

Incident #: 16006295 Date: 2016-02-08 00:28:08 Type: BUILDING CHK

Location: NOTRE DAME ACADEMY / 1073 MAIN ST Disposition: APPEARS SECURE ()

*

Incident #: 16006302 Date: 2016-02-08 00:48:31 Type: BUILDING CHK

Location: HINGHAM MIDDLE SCHOOL / 1103 MAIN ST Disposition: APPEARS SECURE ()

*

Incident #: 16006303 Date: 2016-02-08 00:56:09 Type: BUILDING CHK

Location: PLYMOUTH RIVER ELEMENTARY SCHO / 200 HIGH ST Disposition: APPEARS SECURE ()

*

Incident #: 16006321 Date: 2016-02-08 02:26:03 Type: BUILDING CHK

Location: FOSTER ELEMENTRY SCHOOL / 55 DOWNER AV Disposition: APPEARS SECURE ()

*

Incident #: 16006323 Date: 2016-02-08 03:08:55 Type: TRAFFIC HAZ

Location: AJ'S GULF / 179 LINCOLN ST Disposition: SERVICES RENDER ()

Notes:

CALLER REPORTS SOME SORT OF SIGN IN THE MIDDLE OR THE ROADWAY, ON DOWNER RIGHT NEXT TO AJS

CALDWELL BANKER REAL ESTATE SIGN MOVED OFF TO THE SIDE

*

Incident #: 16006324 Date: 2016-02-08 03:39:23 Type: ALARM COMM

Location: OCEAN KAI RESTAURANT / 300 LINCOLN ST Disposition: FALSE/ACCIDENTA ()

Notes:

2ND FLOOR ROOF DOOR

KEYHOLDER ENROUTE

WALK THROUGH THE BLDG W KEYHOLDER, MOST LIKELY DUE TO WIND. UNITS CLEAR

*

Incident #: 16006325 Date: 2016-02-08 03:53:20 Type: TRAFFIC HAZ

Location: 774 MAIN ST Disposition: SERVICES RENDER ()

Notes:

CALLER REPORTS LARGE BRANCH COVERING THE ROAD JUST SOUTH OF MILL LN ON MAIN ST, REPORTS MANY CARS HAVE DRIVEN THROUGH IT AND THERES MULTIPLE PIECES IN THE ROADWAY

Added by Update-and-Continue: More information to follow.

FROM: (2) MAIN ST & MILL LN TO (2) 774 MAIN ST

914 MOVING THE BRANCH OFF TO THE SIDE

*

Incident #: 16006333 Date: 2016-02-08 07:21:02 Type: TREE DOWN

Location: BEAL ST & NORTH ST Disposition: SERVICES RENDER ()

Notes:

CALLER REPORS LARGE TREE BRANCH IN THE RD IN THIS AREA

Added by Update-and-Continue: More information to follow.

REQUEST FOR FIRE/RESCUE: ENGINE VOIDED

II LARGE BRANCH BY 329 NORTH ST, MV'S CAN GET AROUND IT NO PROBLEM

*

Incident #: 16006335 Date: 2016-02-08 07:48:14 Type: ALARM COMM

Location: MASSA PRODUCTS CORP / 280 LINCOLN ST Disposition: ACCID/DEFECT/BU ()

Notes:

GENERAL BURG ALARM

ALARM COMPANY REPORTS ACCIDENTIAL BY EMPLOYEE, CANCEL

INCIDENT CLOSED

INCIDENT CLOSED

*

Incident #: 16006337 Date: 2016-02-08 07:51:22 Type: ALARM COMM

Location: SOUTH SHORE EDUCATIONAL COLLAB / 75 ABINGTON ST Disposition: CANCELED BEFORE ()

Notes:

GENERAL BURGLAR ALARM, ALARM COMPANY WILL ATTEMPT TO CONTACT A KEY HOLDER.

*

Incident #: 16006336 Date: 2016-02-08 07:51:46 Type: ALARM COMM

Location: BOSTON GOLF COURSE / 19 OLD COUNTY RD Disposition: ACCID/DEFECT/BU ()

Notes:

PRO SHOP BUILDING

Added by Update-and-Continue: More information to follow.

ALARM CO. REPORTS ACCIDENTAL BY CHRISTINE WALKER

Added by Update-and-Continue: More information to follow.

*

Incident #: 16006338 Date: 2016-02-08 08:03:26 Type: MEDICAL AID

Location: 111 HMS FITZROY DR #APT 105 Disposition: SERVICES RENDER ()

Notes:

79 yof chest pain

Added by Update-and-Continue: More information to follow.

DISCHARGED FROM THE HOSPITAL FRIDAY NOSEBLEED

911 advised

LIGHTHEADED

CONSCIOUS AND ALERT

FROM: (2) 111 HMS FITZROY DR #APT 105 FL APT 105 TO (2) 111 HMS FITZROY DR #APT

*

Incident #: 16006339 Date: 2016-02-08 08:21:01 Type: HARASSMENT

Location: 209 MAIN ST Disposition: INVESTIGATED/ R (Y)

Notes:

CALLER IS ON THE SIDE OF THE ROAD IN A BLUE CHRYSLER SEBRING AND SHE STATES A FEMALE FROM 17 MIDDLE ST IS HARASSING HER, SHE WOULD LIKE TO SPEAK WITH AN OFFICER

Added by Update-and-Continue: More information to follow.

*

Incident #: 16006341 Date: 2016-02-08 08:38:38 Type: BUILDING CHK

Location: TEDESCHI'S FOOD SHOP / 34 WHITING ST Disposition: APPEARS SECURE ()

Notes:

appears secure

*

Incident #: 16006349 Date: 2016-02-08 09:33:57 Type: FALARM COMM

Location: BLUE CROSS/BLUE SHIELD / 25 TECHNOLOGY PL Disposition: SERVICES RENDER ()

Notes:

FIRE ALARM ACTIVATION

Added by Update-and-Continue: More information to follow.

ROCKLAND FIRE ADVISED.

BUILDING MANAGEMENT REPORTS FROM AN AC ON THE ROOF
E3 RPTS SYSTEM IS STILL IN ALARM, BUSINESS ADVISED TO NOT LET ANYONE INTO THE
BUILDING UNTIL THE ALARM IS RESET BY THE ALRM CO. COMMAND TERMINATED, E3, M3
CLEAR

*

Incident #: 16006350 Date: 2016-02-08 09:47:12 Type: MV STOP

Location: 20 DOWNER AV Disposition: CITATION ISSUED ()

Notes:

CITATION

*

Incident #: 16006352 Date: 2016-02-08 09:58:20 Type: BUILDING CHK

Location: S.S. HOSPITAL OFF SITE PARKING / 67 SHARP ST Disposition: APPEARS SECURE ()

Notes:

appears secure

*

Incident #: 16006357 Date: 2016-02-08 10:12:06 Type: MVC UNK INJURY

Location: CONGREGATION SHA-ARRAY / 1112 MAIN ST Disposition: SERVICES RENDER ()

Notes:

2 CARS, CALLER INVOLVED REPORTS NO INJURIES, PULLED OFF TO THE SIDE

Added by Update-and-Continue: More information to follow.

NO LEAKS, NO REPORTED HAZARDS

APPEARS MINOR

NO TRANSPORTS, UNITS IN SERVICE

FROM: (2) LAMBERTS NURSERY / 1099 MAIN ST TO (2) CONGREGATION SHA-ARRAY / 1112 MA

*

Incident #: 16006359 Date: 2016-02-08 10:22:55 Type: TRAFFIC HAZ

Location: KILBY ST & ROCKLAND ST Disposition: LOG ENTRY INFO ()

Notes:

911 REPORTS AREA FLOODED. REQ DPW TO HEAD OUT WITH SOME SIGNAGE OR SAW HORSES.
DPW NOTIFIED

*

Incident #: 16006360 Date: 2016-02-08 10:27:27 Type: PD INVEST

Location: 17 MIDDLE ST Disposition: SERVICES RENDER ()

Notes:

OUT ON A FOLLOW UP

*

Incident #: 16006362 Date: 2016-02-08 10:35:50 Type: WIRES CALL

Location: CUSHING ST & LECLAIR DR Disposition: SERVICES RENDER ()

Notes:

CALLER REPORTS LOW HANGING WIRES
913 REPORTS POLE TO POLE, DIRECTLY ACROSS FROM LECLAIR, APPEARS TO BE CABLE.
NOTIFYING RESPECTIVE COMPANY
REQUEST FOR FIRE/RESCUE: ENGINE VOIDED

*

Incident #: 16006364 Date: 2016-02-08 10:47:16 Type: MV DISABLED

Location: SUPER PETROLEUM / 29 SUMMER ST Disposition: SERVICES RENDER ()

Notes:

OUT WITH DISABLED TRUCK
was able to move vehicle from roadway

*

Incident #: 16006366 Date: 2016-02-08 11:14:51 Type: PARK COMPLT

Location: NORTH ST & THAXTER ST Disposition: SERVICES RENDER ()

Notes:

DPW REPORTS MA REG618HZ4 IS IMPEDING SNOW REMOVAL
FROM: (2) TEDES / THAXTER & NORTH TO (2) NORTH ST & THAXTER ST
911 OFF AT 243A NORTH ST ATEMPTING TO MAKE CONTACT SO SOMEONE CAN MOVE THE
VEHICLE
911 WAS ABLE TO MAKE CONTACT, MOVING THE VEHICLE

*

Incident #: 16006367 Date: 2016-02-08 11:36:36 Type: TEST

Location: SOUTH SHORE REGIONAL EMERGENCY COMM / 210 CENTRAL ST Disposition: TEST 911 CALL ()

Notes:

911 TEST TTY CALL, COMPLETED WITHOUT ERROR BY DISPATCHER FARMER

*

Incident #: 16006368 Date: 2016-02-08 11:39:20 Type: MBOX DISCON

Location: BOX 7831/ 25 TECHNOLOGY DR Disposition: ()

Notes:

ALARM COMPANY TAKING THE BOX OUT. WILL NTFY WHEN BACK ON.
MASTER BOX 7831 IS BACK ONLINE

*

Incident #: 16006371 Date: 2016-02-08 12:00:57 Type: FIRE INVEST

Location: HINGHAM TOWN HALL / 210 CENTRAL ST Disposition: ()

Notes:

C3 TO THE HINGHAM TOWN HALL INSIDE INVEST. GAS ODOR BY THE ELEVATORS, CALLED IN
BY HIN PD OIC

*

Incident #: 16006373 Date: 2016-02-08 12:53:18 Type: ALARM COMM

Location: MASSA PRODUCTS CORP / 280 LINCOLN ST Disposition: SERVICES RENDER ()

Notes:

FRONT DOOR AND FOYER MOTION

Added by Update-and-Continue: More information to follow.

MA REG 919LG9 IN LOT

SPOKEW ITH PARTY, STATES HE IS AN EMPLOYEE, THOUGHT HE ENTERED PROPER PASSCODE,
HE IS CONTACTING ALARM CO

*

Incident #: 16006374 Date: 2016-02-08 12:58:35 Type: MV ERRATIC OP

Location: FORT HILL ST & FRESH RIVER AV Disposition: REFERRED TO OTH ()

Notes:

CALLER REPORTS ON FORT HILL ST HEADING INTO WEYMOUTH A BLUE WORK TRUCK DRIVING
ON THE WRONG SIDE OF THE ROAD, WHILE ON THE PHONE, ENTERED INTO WEYMOUTH,
TRANSFERRED TO WEYMOUTH

*

Incident #: 16006377 Date: 2016-02-08 13:31:23 Type: BUILDING CHK

Location: HINGHAM HIGH SCHOOL / 17 UNION ST Disposition: APPEARS SECURE ()

*

Incident #: 16006378 Date: 2016-02-08 13:38:43 Type: BUILDING CHK

Location: EAST ELEMENTRY SCHOOL / 2 COLLINS ST Disposition: APPEARS SECURE ()

*

Incident #: 16006379 Date: 2016-02-08 13:42:58 Type: MEDICAL AID

Location: BRIDGES BY EPOCH / 1 SGT WM B TERRY DR Disposition: SERVICES RENDER ()

Notes:

BARE COVE UNIT, RM 316, ELDERLY FEMALE, FELL AND STILL ON THE FLOOR

Added by Update-and-Continue: More information to follow.

NO BLEEDING OR COMPLAINTS

NURSE WITH THE PT

NO EMD

PT SIGN OFF BOTH UNITS CLEAR

INCIDENT CLOSED

*

Incident #: 16006381 Date: 2016-02-08 13:55:06 Type: MEDICAL AID

Location: 26 DEL PRETE DR Disposition: SERVICES RENDER ()

Notes:

2 YO MALE CHOKING

Added by Update-and-Continue: More information to follow.

NOT BREATHING

PT IS SEIZNG

PT IS BREATHING

REQUEST FOR FIRE/RESCUE: AMBULANCE VOIDED

OBSTRUCTED AIRWAY AND SEIZURE CARD USED

PRE ARRIVAL INSTRUCTIONS GIVEN

E2 RPTS MED2 IS TAKING A DRIVER

*

Incident #: 16006385 Date: 2016-02-08 14:05:54 Type: 911 ACCIDENT

Location: ALLERTON HOUSE AT HARBOR PARK / 15 CONDITO RD #110 Disposition: ACCID/DEFECT/BU ()

Notes:

MALE PARTY LOOKING FOR JELP WITH PHONE CONNECTION. STAFF ADVISED

INCIDENT CLOSED

*

Incident #: 16006386 Date: 2016-02-08 14:18:09 Type: BUILDING CHK

Location: NATIONAL GUARD ARMORY / 96 CENTRAL ST Disposition: APPEARS SECURE ()

*

Incident #: 16006388 Date: 2016-02-08 14:33:12 Type: PARK COMPLT

Location: 7 PLEASANT ST Disposition: SERVICES RENDER ()

Notes:

DPW REPORTS A WHITE KIA BY 5-7 PLEASANT ST KEEPS PARKING IN THE STREET AFTER
THEY DPW PLOWA AND THE DPW WANTS THEM TOLD TO KEEP THE CAR IN THE DRIVEWAY
SPOKE WITH OWNER, HE WILL MOVE IT INTO THE DRIVEWAY OF 5 PLEASANT

*

Incident #: 16006391 Date: 2016-02-08 14:59:00 Type: PARK COMPLT

Location: SLEDDING HILL / 90 NEWBRIDGE ST Disposition: SERVICES RENDER ()

Notes:

DPW OFFICE RPTS PEOPLE ARE SLEDDING AND THEY NEED THE CARS MOVED FOR THE PLOWS.
FROM: (2) NEWBRIDGE ST TO (2) SLEDDING HILL / 90 NEWBRIDGE ST

*

Incident #: 16006393 Date: 2016-02-08 15:08:52 Type: MV STOP

Location: KIMBALL BEACH RD & WOMPATUCK RD Disposition: CITATION ISSUED ()

Notes:

ATTEMPTING TO PULL OVER VEHICLE
VEHICLE DID NOT INITIALY STOP, TOOK LEFT ONTO WOMPATUCK, HAS VEHICLE PULLED
OVER AT THIS LOCATION
CITATION

*

Incident #: 16006394 Date: 2016-02-08 15:20:39 Type: BUILDING CHK

Location: AIM PERSONNEL SERVICES / 183 WHITING ST Disposition: APPEARS SECURE ()

Notes:

APPEARS SECURE

*

Incident #: 16006396 Date: 2016-02-08 15:38:31 Type: ALARM COMM

Location: SOUTH SHORE COUNTRY CLUB / 274 SOUTH ST Disposition: APPEARS SECURE ()

Notes:

EAST FAIRWAY DOOR

Added by Update-and-Continue: More information to follow.

ATTEMPTING TO NOTIFY KEYHOLDER

912 reports rear of building b/w bowling alley and bar unsecured door, making entry

*

Incident #: 16006398 Date: 2016-02-08 15:40:16 Type: FIRE OUTSIDE

Location: 110 KILBY ST Disposition: SERVICES RENDER ()

Notes:

snowblower on fire in driveway

Added by Update-and-Continue: More information to follow.

not close to the house

C3 RPTS THE FIRE APPEARS OUT AT THIS TIME

c3 reports fire extinguished prior the fd arrival/companies clear to quarters

*

Incident #: 16006400 Date: 2016-02-08 15:51:10 Type: PARK COMPLT

Location: BREWED AWAKENINGS DBA SUNRISE / 19 MAIN ST Disposition: SERVICES RENDER ()

Notes:

RED NISSAN PARKED OUT FRONT DPW REQUESTS THE VEHICLE BE MOVED AROUND BACK
911 CLEARING 1600 SHIFT TO HANDLE
ATTEMPTED TO CONTACT OWNER WITH NO ANSWER
INCIDENT CLOSED
977 WAS ABLE TO MAKE CONTACT WITH VEHICLE OWNER. VEHICLE WILL BE MOVED.
Added by Update-and-Continue: More information to follow.
CLEAR

*

Incident #: 16006402 Date: 2016-02-08 16:26:19 Type: FALARM RES DAY

Location: 4 LORING HILL RD Disposition: SERVICES RENDER ()

Notes:

FIRST FLOOR SMOKE
Added by Update-and-Continue: More information to follow.
ALARM CO. UNABLE TO REACH HOMEOWNER.
ALARM COMPANY REACHED HOMEOWNER. EVERYTHING IS FINE AT THE RESIDENCE.
Added by Update-and-Continue: More information to follow.
STATION 3 COMPANIES ON SCENE OF A 2 1/2 STORY WOOD FRAME STRUCTURE E3 HAS
COMMAND
E3 REPORTS ACCIDENTAL FOOD ONN THE STOVE COMPANIES CLEAR TO QUARTERS

*

Incident #: 16006403 Date: 2016-02-08 16:42:20 Type: FALARM RES DAY

Location: 4 LORING HILL RD Disposition: SERVICES RENDER ()

Notes:

ALARM CO. CA;LLED BACK TO STATE ALARM IS ON AT ADDRESS AGAIN
Added by Update-and-Continue: More information to follow.
REQUEST FOR FIRE/RESCUE: AMBULANCE VOIDED
E3 ON SCENE INVESTIGATING
COMPANY REPORTS FIRE ALARM SECOND FLOOR SMOKE AND 1ST FLOOR SMOKE
Added by Update-and-Continue: More information to follow.
CLEAR
E3 REPORTS THE RESIDENTS MOVED FROM THE KITCHEN INTO THE LIVING ROOM WHERE THEY
ATTEMPTED TO START A FIRE IN THE FIRE PLACE E3 CLEAR TO QUARTERS

*

Incident #: 16006404 Date: 2016-02-08 16:49:49 Type: MEDICAL AID

Location: STATION 2 HFD / 230 NORTH ST Disposition: NO PD SERVICE R ()

Notes:

STATION 2 REPORTS A WALK IN MEDICAL AID

STATION 2 REPORTS A WALK IN MEDICAL AID

911 ADVISED

E2 REPORTS MED 2 PREPARING FOR TRANSPORT

MED2 TRANSPORTING ALS TO THE SSH

MED2 OFF AT SOUTH SHORE HOSPITAL

MED2 CLEAR SS HOSPITAL AND RETURNING TO QUARTERS

*

Incident #: 16006405 Date: 2016-02-08 17:23:09 Type: TRAFFIC HAZ

Location: 18 SHIP ST Disposition: SERVICES RENDER ()

Notes:

CALLER RPTS THERE IS A HOLE IN THE STREET WHERE SOME TYPE OF UTILITY COVER IS MISSING.

FROM: (2) SHIP ST TO (2) 18 SHIP ST

Added by Update-and-Continue: More information to follow.

CLEAR

WATER GATE FOUND/RECOVERED. NO TRAFFIC ISSUE.

*

Incident #: 16006410 Date: 2016-02-08 17:49:35 Type: BUILDING CHK

Location: HINGHAM PUBLIC SCHOOLS BUS BARN / 25 FORT HILL ST Disposition: SERVICES RENDER ()

Notes:

912 REPORTS A BUS WITH AN OPEN DOOR. PASSANGER COMPARTMENT HAS SNOW INSIDE. DOOR HAS BEEN SECURE.

CLEAR

*

Incident #: 16006414 Date: 2016-02-08 18:18:30 Type: MVC HIT AND RUN

Location: WALTER MAY INSURANCE AGENCY INC / 188 WHITING ST Disposition: INVESTIGATED/ R ()

Notes:

CALLER REPORTS PLOW STRUCK A LIGHT POLE POLE IS DOWN

Added by Update-and-Continue: More information to follow.

MARGETTS PLOW TRUCK

HEADING TOWARDS NORWELL

STATES THE PLOW DRIVER HAD PULLED OVER A FEW HUNDRED YARDS UP THRE ROAD.

NOW STATES LARGE BULLDOZER TYPE TRUCK

CALLER NOT INVOLVED HAS CONTINUED ON

OPERATOR BALD MALE WITH GLASSES

CALLER NOT SURE IF THEY DRIVER STAYED AFTER HE HAD LEFT THE AREA

913 REPORTS POLE IS DOWN IN THE LOT OF 188 WHITING ST.

Added by Update-and-Continue: More information to follow.

FROM: (2) GARDNER ST & WHITING ST TO (2) WALTER MAY INSURANCE AGENCY INC / 188 W

STATION 3 COMPANIES ON SCENE

916 REPORTS THAT DRIVER OF THE PLOW TRUCK REPORTED TO LIGHT COMPANY TO INFORM

HE HAD HIT THE POLE. DRIVER IS ON HIS WAY BACK TO SCENE.

E3 REQUESTS LIGHT DEPT NOTIFICATION LIGHT POLE ONLY NO WIRES

LIGHT DEPT ON SCENE

C49 ADVOSED POLE 188 WHITING ST

LIGHT DEPT ON SCENE.

MED3 CLEAR

E3 CLEAR SCENE HAS BEEN LEFT IN THE CAR OF THE LIGHT DEPT..

VERIZON NOTIFIED PHONES OUT

913/914 WILL BE OUT BLOCKING UPPER GARDENER.

913 REPORTS ALL UNITS CLEAR. LIGHT DEPT ON SCENE WORKING ON POLE

*

Incident #: 16006416 Date: 2016-02-08 18:54:26 Type: GAS INSIDE

Location: 247 LINCOLN ST Disposition: SERVICES RENDER ()

Notes:

STRONG ODOR OF GAS IN THE HOUSE.

Added by Update-and-Continue: More information to follow.

FEMALE AND HER DAUGHTER ARE GOING OUTSIDE.

E2 REPORTS A LONG DRIVEWAY AND COMPANIES TO STAGE ON THE ROAD

CLEAR

C3 HAS LINCOLN ST COMMAND / E2 REPORTS MORE OF A GASOLINE ODOR

COMMAND REPORTS SPILLED FUEL FROM A SNOW BLOWER IN THE GARAGE E2 VENTING E4

CLEAR TO QUARTERS MED 2 AVAIL FROM THE SCENE

C3 REPORTS E2 PICKING UP AND C3 AND MED2 TO QUARTERS COMMAND TERMINATED

HOUSE EVNTILATED AND COMPANIES CLEAR TO QUARTERS

*

Incident #: 16006419 Date: 2016-02-08 19:41:56 Type: BUILDING CHK

Location: CITIZEN SAVINGS BANK / 11 FEARING RD Disposition: APPEARS SECURE ()

*

Incident #: 16006421 Date: 2016-02-08 21:25:33 Type: TRAFFIC HAZ

Location: QUEEN ANNS CORNER / MAIN ST Disposition: SERVICES RENDER ()

Notes:

WALK IN TO NORWELL PD REPORTS TTHAT THEY WERE ON MAIN ST TRYING TO TURN LEFT AT
QUEEN ANNES CORNER AND THEY LIGHTS WERE NOT FUNCTIONING PROPERLY

910 REPORTS LIGHTS FUCTIONING PROPERLY.

*

Incident #: 16006422 Date: 2016-02-08 21:41:55 Type: MV DISABLED

Location: DUNKIN DONUTS / 187 WHITING ST Disposition: SERVICES RENDER ()

Notes:

914 REPORTS PRIVATE PARTY TOW.

Added by Update-and-Continue: More information to follow.

THOMAS IS PAGED AND ENROUTE.

PARTY REQUESTS TOW TO SCITUATE.

THOMAS REPORTS UNABLE TO TOW TO SCITUATE. PARTY ATTEMPTING TO CONTACT ANOPHTER
TOW COMPANY. 914 STATES HE WILL CHECK BACK IN WITH DISABLED PARTY WHILE HE

FINDS A TOW.

CLEAR

*

Incident #: 16006423 Date: 2016-02-08 22:02:18 Type: BUILDING CHK

Location: NATIONAL GUARD VEHICLE DEPOT / 25 FORT HILL ST Disposition: APPEARS SECURE ()

Notes:

rep from transpotation dept on scene to check buses... all secure at this time

*

613 record(s)