

HINGHAM POLICE DEPARTMENT

Incident #: 17023222 Date: 2017-05-15 00:20:53 Type: MV STOP

Location: RITE-AID / 184 LINCOLN ST Disposition: CITATION ISSUED ( )

Notes:

CITATION ISSUED

\*\*\*\*\*  
\*

Incident #: 17023233 Date: 2017-05-15 00:56:13 Type: BUILDING CHK

Location: FOSTER ELEMENTRY SCHOOL / 55 DOWNER AV Disposition: APPEARS SECURE ( )

\*\*\*\*\*  
\*

Incident #: 17023244 Date: 2017-05-15 01:30:32 Type: BUILDING CHK

Location: HERB CHAMBERS LEXUS HINGHAM / 141 DERBY ST Disposition: APPEARS SECURE ( )

\*\*\*\*\*  
\*

Incident #: 17023246 Date: 2017-05-15 02:07:45 Type: BUILDING CHK

Location: FOSTER ELEMENTRY SCHOOL / 55 DOWNER AV Disposition: APPEARS SECURE ( )

\*\*\*\*\*  
\*

Incident #: 17023247 Date: 2017-05-15 02:09:17 Type: MV ERRATIC OP

Location: RT 3 S Disposition: AREA SEARCH NEG ( )

Notes:

CALLER REPORTS DARK COLOR SEDAN MAYBE A COROLLA WITH A PARTIAL LIC 6LT. DRIVER  
DID NOT GET ANY OTHER IMFORMATION.

Added by Update-and-Continue: More information to follow.

NO DIRECTION OF MV EITHER.

Added by Update-and-Continue: More information to follow.

919 CLEAR, UNABLE TO LOCATE VEHICLE

\*\*\*\*\*  
\*

Incident #: 17023248 Date: 2017-05-15 02:22:17 Type: ALARM RES

Location: PIERCE GALLERY / 721 MAIN ST Disposition: SERVICES RENDER ( )

Notes:

STUDIO MOTION

Added by Update-and-Continue: More information to follow.

ALARM CO SPOKE WITH MARCO, HE REQUESTED DISPATCH STATING NO ONE SHOULD BE THERE

913 ON SCENE

913 REPORTS FINDING AN UNSECURED DOOR.

913 REPORTS UNITS CHECKING BUILDING, EVERYTHING APPEARS IN ORDER. UNITS

CLEARING SHORTLY

BUILDING APPEARS SECURE, UNITS CLEAR

ALARM COMPANY STATES THEY WERE UNABLE TO GET A RESPONDER

913 SPEAKING HOMEOWNER, HOMEOWNER GAVE OFFICER A WAY OF RESECURING DOOR. 913

OUT ATTEMPTING TO RESECURE

913 CLEAR. DOOR HAS BEEN SECURED

\*\*\*\*\*  
\*

Incident #: 17023250 Date: 2017-05-15 03:16:39 Type: BUILDING CHK

Location: HINGHAM HIGH SCHOOL / 17 UNION ST Disposition: APPEARS SECURE ( )

\*\*\*\*\*  
\*

Incident #: 17023251 Date: 2017-05-15 03:36:03 Type: ALARM COMM

Location: SOUTH SHORE HOSPITAL CENTER OR / 2 POND PK RD Disposition: CANCELED BEFORE ( )

Notes:

ZONE 2 EMERGENCY EXIT LOBBY G

Added by Update-and-Continue: More information to follow.

DISPATCH CALLED SECURITY, SECURITY STATES IT WAS ONE OF THEIR OFFICERS THAT SET

IT OFF BY ACCIDENT.

INCIDENT CLOSED

ACCIDENTAL BY SECURITY

\*\*\*\*\*  
\*

Incident #: 17023252    Date: 2017-05-15 03:42:43    Type: ALARM RES

Location: 61 BEL AIR RD    Disposition: APPEARS SECURE ( )

Notes:

911 FEMALE CALLER HOME ALONE IN BEDROOM AND HOUSE ALARM BEGAN GOING OFF

Added by Update-and-Continue: More information to follow.

ALARM CO REPORTS UTILITY ROOM DOOR

CALLER STATES ALL THE DOORS AT THE HOUSE SHOULD BE LOCKED, AUDIBLE ALARM  
SOUNDING

CALLER STATES ALARM SAYS IT IS CODE 06 UTILITY DOOR WHICH SHOULD BE OFF OF THE  
GARAGE IN THE BASEMENT

CALLER HAS HERSELF LOCKED IN THE BEDROOM

NO PETS IN HOUSE, SHE IS HOME ALONE

CALLER MAKING HER WAY DOWNSTAIRS TO MEET OFFICER AT DOOR

912 REPORTS DOING WALK THRU OF HOUSE WITH RESIDENT. MAY HAVE JUST BEEN WIND  
BLOWING DOOR OPEN. UNITS CLEAR

\*\*\*\*\*  
\*

Incident #: 17023253    Date: 2017-05-15 04:22:54    Type: FALARM COMM

Location: HITCHCOCK SHOE / 225 BEAL ST    Disposition: APPEARS SECURE ( )

Notes:

ELECTRICAL ROOM

Added by Update-and-Continue: More information to follow.

ALARM CO ATTEMPTING TO MAKE CONTACT WITH A KEY HOLDER

COMPANIES RESPONDING 0426

E2 REPORTS STATION 2 COMPANIES ON SCENE. 2 STORY COMMERCIAL, NOTHING SHOWING  
FROM EXTERIOR, COMPANIES INVESTIGATING. E2 HAS COMMAND

ALARM CO REPORTS STILL TRYING TO REACH KEYHOLDER

C3 REPORTS Q1 ON SCENE A SIDE, C3 HEADING TO C SIDE

COMMAND REPORTS COMPANIES INVESTIGATING ELECTRICAL ROOM DOOR, APPEARS TO BE A  
BURG ALARM NOT A FIRE ALARM

DISPATCH UNABLE TO REACH KEYHOLDER WITH NUMBERS ON THE IN HOUSE

COMMAND REPORTS BURG ALARM ISSUE NOT A FIRE ISSUE. NO SMOKE, NO FIRE  
E2 REPORTS POLICE SPOKE WITH KEYHOLDER, COMPANIES RTQ  
911 REPORTS SPEAKING WITH KEYHOLDER. BUILDING CHECKS OUT OK  
BURG ALARM NOT A FIRE ALARM. COMMAND TERMINATED 0449

\*\*\*\*\*  
\*

Incident #: 17023255 Date: 2017-05-15 05:28:22 Type: TRAFFIC HAZ

Location: NEW ENGLAND JEWELRY / 43 WHITING ST Disposition: SERVICES RENDER ( )

Notes:

CALLER REPORTS DEBRIS IN THE ROADWAY THAT APPEARS TO HAVE BEEN DROPPED OR  
FALLEN  
919 REPORTS A LARGE AMOUNT OF DEBRIS WAS MOVED OFF TO THE SIDE OF THE ROAD AT  
121 WHTINNG. REQUEST MESSAGE BE LEFT FOR DPW  
MESSAGE LEFT FOR DPW

\*\*\*\*\*  
\*

Incident #: 17023256 Date: 2017-05-15 05:48:01 Type: BUILDING CHK

Location: HINGHAM MIDDLE SCHOOL / 1103 MAIN ST Disposition: APPEARS SECURE ( )

\*\*\*\*\*  
\*

Incident #: 17023257 Date: 2017-05-15 05:59:40 Type: MV STOP

Location: 499 CUSHING ST Disposition: CITATION ISSUED ( )

Notes:

CITATION ISSUED

\*\*\*\*\*  
\*

Incident #: 17023261 Date: 2017-05-15 06:17:31 Type: MV STOP

Location: 418 CUSHING ST Disposition: CITATION ISSUED ( )

Notes:

CITATION ISSUED

\*\*\*\*\*  
\*

Incident #: 17023265 Date: 2017-05-15 06:29:52 Type: MV STOP

Location: HINGHAM LIGHT DEPARTMENT GARAGE / 308 CUSHING ST Disposition: VERBAL WARNING ( )

Notes:

VERBAL WARNING

\*\*\*\*\*  
\*

Incident #: 17023268 Date: 2017-05-15 06:40:58 Type: BUILDING CHK

Location: SOUTH ELEMENTARY SCHOOL / 831 MAIN ST Disposition: APPEARS SECURE ( )

\*\*\*\*\*  
\*

Incident #: 17023277 Date: 2017-05-15 08:15:51 Type: 911 ACCIDENT

Location: PRATTS CROSSING BLDG / 207 LINDEN PONDS WY #APT PC134 FL Disposition: 911 ACCIDENTAL ( )

Notes:

CALLER LOOKING FOR A PHONE NUMBER FOR HIS DOCTOR OFFICER, SAYS HE CANT HEAR ANYTHING ON THE PHONE ITS MUFFLED, SECURITY TO CHECK

MIKE FROM SECURITY CONFIRMS ACCIDENTAL

INCIDENT CLOSED

FROM: (2) PRATTS CROSSING BLDG / 207 LINDEN PONDS WY #APT PC134 FL APT PC134 TO

\*\*\*\*\*  
\*

Incident #: 17023280 Date: 2017-05-15 08:35:51 Type: 911 ACCIDENT

Location: 21 HOWLAND LN Disposition: 911 ACCIDENTAL ( )

Notes:

CALLER LOOKING FOR 411  
REQUEST FOR POLICE: PATROL VOIDED  
906 CONFIRMED ACCIDENTAL

\*\*\*\*\*  
\*

Incident #: 17023282 Date: 2017-05-15 09:01:24 Type: MV STOP

Location: MARGETTS FIELD / 210 WARD ST Disposition: CITATION ISSUED ( )

Notes:  
916 REPORTS OUT ON A MV STOP 916 FURTHER REPORTS CITATION ISSUED

\*\*\*\*\*  
\*

Incident #: 17023285 Date: 2017-05-15 09:14:12 Type: MV STOP

Location: MARGETTS FIELD / 210 WARD ST Disposition: CITATION ISSUED ( )

Notes:  
916 REPORTS OUT ON A MV STOP  
CITATION ISSUED

\*\*\*\*\*  
\*

Incident #: 17023288 Date: 2017-05-15 09:32:37 Type: MV STOP

Location: CUSHING ST & WARD ST Disposition: CITATION ISSUED ( )

Notes:  
916 REPORTS OUT ON A MV STOP  
CITATION ISSUED

\*\*\*\*\*  
\*

Incident #: 17023292 Date: 2017-05-15 09:53:42 Type: ALARM RES

Location: 24 MIDDLE ST / 24 MIDDLE ST Disposition: FALSE/ACCIDENTA ( )

Notes:

MUD ROOM, KITCHEN MOTION

Added by Update-and-Continue: More information to follow.

WILL ATTEMPT KEYHOLDERS

FROM: (2) 24 MIDDLE ST TO (2) 24 MIDDLE ST / 24 MIDDLE ST

912 REPORTS CONFIRMED ACCIDENTAL BY THE HOUSE CLEANER

\*\*\*\*\*  
\*

Incident #: 17023294 Date: 2017-05-15 10:06:01 Type: FALARM COMM

Location: HINGHAM MUTUAL FIRE INSURANCE / 230 BEAL ST Disposition: NO PD SERVICE R ( )

Notes:

GENERAL FIRE ALARM,

Added by Update-and-Continue: More information to follow.

NO KEYHOLDER YET

ENGINE 2 RPTS ATLAS ALARM ON SCENE, C3 AND QUINT 1 CAN CODE C.

COMMAND RPTS ACCIDENTAL BY ALARM COMPANY C3 AND QUINT 1 CAN CANCEL.

INCIDENT CLOSED

ENGINE 2 CLEAR WITH ATLAS'S APOLOGIES THEY HAD THE WRONG SERVICE NUMBER FOR THE ACCOUNT.

\*\*\*\*\*  
\*

Incident #: 17023295 Date: 2017-05-15 10:13:37 Type: MV STOP

Location: 267 CUSHING ST Disposition: CITATION ISSUED ( )

Notes:

916 REPORTS OUT ON A MV STOP

916 REPORTS OUT ON A MV STOP 916 REPORTS CITATION ISSUED

\*\*\*\*\*  
\*

Incident #: 17023300 Date: 2017-05-15 10:21:03 Type: COMMTY SERV

Location: CVS PHARMACY / 405 LINCOLN ST Disposition: APPEARS SECURE ( )

Notes:

PHARMACY WALK THRU

\*\*\*\*\*

\*

Incident #: 17023303 Date: 2017-05-15 10:39:44 Type: BUILDING CHK

Location: 100 SGT WILLIAM B TERRY DR / 100 SGT WM B TERRY DR Disposition: APPEARS SECURE ( )

Notes:

APPEARS SECURE

\*\*\*\*\*

\*

Incident #: 17023304 Date: 2017-05-15 10:48:36 Type: ANIMAL CALL

Location: WHITING LN Disposition: LOG ENTRY INFO ( )

Notes:

CALLER REPORTING SHE SAW IN THE POLICE LOG A CAT THAT WAS SEEN ON WHITING LANE, IT IS A GREY AND BROWN TIGER CAT, WHITE PAWS, WHITE FACE THE CATS PICTURE IS ON THE SCITUATE ANIMAL SHELTER SITE, CALLER BELIEVES THIS CAT MAY BELONG TO HER FRIEND, WENT MISSING ON APRIL 28 IF THE CAT IS SEEN AGAIN PLEASE CONTACT, CALLER HAS BEEN IN CONTACT WITH ACO, ACO HAS NO INFO TO GIVE HER

\*\*\*\*\*

\*

Incident #: 17023309 Date: 2017-05-15 11:42:45 Type: COMMTY SERV

Location: STOP AND SHOP SUPERMARKET / 400 LINCOLN ST Disposition: APPEARS SECURE ( )

Notes:

WALK THRU

\*\*\*\*\*

\*

Incident #: 17023312 Date: 2017-05-15 11:52:31 Type: MEDICAL AID

Location: MEDICAL OFFICES / 300 LINDEN PONDS WY Disposition: SERVICES RENDER ( )

Notes:

85 YOF FELL THIS MORNING, GOING TO RULE OUT CVA



Added by Update-and-Continue: More information to follow.

FROM: (2) BIRCH CREEK BLDG / 301 LINDEN PONDS WY TO (2) MEDICAL OFFICES / 300 LI

MEDICAL STAFF IS WITH PT, IS AWAKE AND TALKING

MEDIC 3 ON SCENE.

ENGINE 3 ON SCENE.

ENGINE 3 RPTS THIS WILL BE A MEDIC 3 TRANSPORT.

MEDIC 3 TRANSPORTING TO SSH.

\*\*\*\*\*  
\*

Incident #: 17023317 Date: 2017-05-15 12:36:10 Type: ALARM RES

Location: 38 HIGHVIEW DR Disposition: FALSE/ACCIDENTA ( )

Notes:

GARAGE ENTRY

Added by Update-and-Continue: More information to follow.

FROM: (2) 38 HIGHVIEW DR TO (2) CURRENT RESIDENT / 38 HIGHVIEW DR

NO KEY HOLDER

REQUEST FOR POLICE: PATROL VOIDED

PROPER PASSCODE RECIEVED

INCIDENT CLOSED

FROM: (2) CURRENT RESIDENT / 38 HIGHVIEW DR TO (2) 38 HIGHVIEW DR

\*\*\*\*\*  
\*

Incident #: 17023319 Date: 2017-05-15 12:48:34 Type: ANIMAL CALL

Location: SANDCASTLES CHILD CARE & LEARNING C / 313 EAST ST Disposition: SERVICES RENDER ( )

Notes:

Raccoon hanging around outside the building and dumpster.

REQUEST FOR POLICE: PATROL VOIDED

Female mama raccoon trying to find food to feed babies. Explained to Daycare teachers how they can secure the dumpsters better to keep her out of them.

\*\*\*\*\*  
\*

Incident #: 17023318 Date: 2017-05-15 12:53:06 Type: MV STOP

Location: FOTTLER RD & LINCOLN ST      Disposition: CITATION ISSUED (Y)

Notes:

911 REPORTS OUT ON A MV STOP  
CITATION ISSUED AND SUMMONS TO BE SOUGHT

\*\*\*\*\*  
\*

Incident #: 17023332    Date: 2017-05-15 15:08:13    Type: BUILDING CHK

Location: CITIZEN SAVINGS BANK / 11 FEARING RD      Disposition: APPEARS SECURE ( )

Notes:

APPEARS SECURE

\*\*\*\*\*  
\*

Incident #: 17023339    Date: 2017-05-15 16:06:47    Type: 911 ACCIDENT

Location: 304 TUCKERS LN      Disposition: LOG ENTRY INFO ( )

Notes:

CALLER TESTING GAURDIAN ALARM PENDANT BEING INSTALLED FOR RESIDENT.  
INCIDENT CLOSED  
ALARM TECH ON SCENE TESTING WAS ADVISED TO NOTIFY OF TESTING BEFORE HAND  
911 WILL BE RESPONDING AFTER ROLE CALL  
  
911 RESPONDING  
911 REPORTS CONFIRMED ACCIDENTAL

\*\*\*\*\*  
\*

Incident #: 17023340    Date: 2017-05-15 16:10:55    Type: RESCUE ELEVATOR

Location: EVERGREEN TERRACE BLDG / 303 LINDEN PONDS WY      Disposition: CANCELED BEFORE ( )

Notes:

person trapped in the elevator use door 9  
MALE TRAPPED IN ELEVATOR IS CALM  
912 RESPONDING

SECURITY REPORTS THE MALE OUT OF THE ELEVATOR  
REQUEST FOR POLICE: PATROL VOIDED  
ALL FIRE COMPANIES CANCELLED PRIOR TO ARRIVAL.

\*\*\*\*\*  
\*

Incident #: 17023343 Date: 2017-05-15 16:33:33 Type: MV ERRATIC OP

Location: DERBY SHOPS / 100 DERBY SHOPPES RD W Disposition: SERVICES RENDER ( )

Notes:

CALLER WAS DRIVING BEHIND SOMEONE DRIVING ERRATICALLY, PULLED INTO DERBY ST. MA  
948ZP1 OFF WHITE EXPLORER  
Added by Update-and-Continue: More information to follow.  
SUV VEHICLE  
CALLER STATES DRIVER WAS SWERVING, ALMOST HIT A FEW VEHICLES. DRIVING ON OTHER  
SIDE OF THE ROAD.  
VEHICLE IS GOA, CLEAR

\*\*\*\*\*  
\*

Incident #: 17023344 Date: 2017-05-15 16:48:23 Type: TEST

Location: SOUTH SHORE REGIONAL EMERGENCY COMM / 210 CENTRAL ST Disposition: NO PD SERVICE R  
( )

Notes:

911 TTY TEST CALL COMPLETED  
INCIDENT CLOSED

\*\*\*\*\*  
\*

Incident #: 17023345 Date: 2017-05-15 16:57:14 Type: TEST

Location: 22 SYCAMORE LN Disposition: TEST 911 CALL ( )

Notes:

Added by Update-and-Continue: More information to follow.  
INCIDENT CLOSED

\*\*\*\*\*

\*

Incident #: 17023351 Date: 2017-05-15 17:57:25 Type: 911 ABANDONED

Location: BLUE CROSS/BLUE SHIELD / 25 TECHNOLOGY PL #FLOOR 3 POD A FL FLOOR 3 POD A

Disposition: 911 ACCIDENTAL ( )

Notes:

OFFICE3131 3RD FLOOR CALLER REPORTS IT WAS ACCIDENTAL AND SHE WILL MEET THE  
OFFICER AT THE ENTRANCE WEARING A WHITE SHIRT AND BALCK PANTS  
CONFIRMED ACCIDENTAL CLEAR

\*\*\*\*\*

\*

Incident #: 17023356 Date: 2017-05-15 19:12:26 Type: MEDICAL AID

Location: 8 PINE GROVE RD Disposition: SERVICES RENDER ( )

Notes:

42 YEAR OLD MALE HAVING A SEIZURE  
CALLER STATES PT IS POSTICTAL NOW  
CALLER IS A DR.  
ENTER THROUGH GARAGE

\*\*\*\*\*

\*

Incident #: 17023357 Date: 2017-05-15 19:13:19 Type: HAZARD SITN

Location: MBTA RAIL CROSSING / 71 FRENCH ST Disposition: SERVICES RENDER ( )

Notes:

4 TEENS ON THE TRAIN TRACKS WALKING TOWARD THE SQUARE  
MBCR NOTIFIED  
STATES TRAIN SHOULD BE PASSING THROUGH IN 10 MINUTES  
911 STATES NOTHING SHOWING IN BOTH DIRECTIONS. MBTA WAS ADVISED TO USE CAUTION  
915 REPORTS SPEAKING TO MBTA STATING THE WEST HINGHAM SIDE OF THE TRACKS  
APPEARS CLEAR. ADVISED TO USE CAUTION

\*\*\*\*\*

\*

Incident #: 17023359 Date: 2017-05-15 19:27:02 Type: BUILDING CHK

Location: CONGREGATION SHA-ARRAY / 1112 MAIN ST Disposition: APPEARS SECURE ( )

\*\*\*\*\*  
\*

Incident #: 17023360 Date: 2017-05-15 19:35:11 Type: ANIMAL CALL

Location: BATHING BEACH / 95 OTIS ST Disposition: SERVICES RENDER ( )

Notes:

WALK IN TO LOBBY REPORTS SEEING LITTLE DUCKLINGS NEAR THE SEWER GRATE NEAR THE TRAFFIC LIGHT AT THE BATHING BEACH.  
REQUEST FOR POLICE: ANIMALCONT VOIDED  
911 PASSED THROUGH A FEW TIMES, NOTHING FOUND

\*\*\*\*\*  
\*

Incident #: 17023361 Date: 2017-05-15 19:37:01 Type: BUILDING CHK

Location: HINGHAM MIDDLE SCHOOL / 1103 MAIN ST Disposition: APPEARS SECURE ( )

\*\*\*\*\*  
\*

Incident #: 17023365 Date: 2017-05-15 20:16:11 Type: BUILDING CHK

Location: CVS PHARMACY / 86 SOUTH ST Disposition: APPEARS SECURE ( )

\*\*\*\*\*  
\*

Incident #: 17023364 Date: 2017-05-15 20:16:34 Type: FALARM COMM

Location: BAY STATE COMUNITY SERVICES / 100 BEAL ST Disposition: SERVICES RENDER ( )

Notes:

HART SECURITY REPORTS A GENERAL FIRE ALARM  
E2 CONFIRMS SET OFF BY A MICROWAVE  
E2 ATTEMPTING TO RESET THE PANEL  
E2 RPTS SYSTEM RESET, E2 CLEAR RETURNING

\*\*\*\*\*

\*

Incident #: 17023367 Date: 2017-05-15 20:58:59 Type: SUSP VEHICLE

Location: FORT HILL CEMETERY / 72 FORT HILL ST Disposition: SERVICES RENDER ( )

Notes:

MV PUKLED INTO THE CEMETART AND IS SITTING IN THE 1ST DRIVEWAY

LEFT THE CEMETARY

LEFT ONTO FORT HILL ST NO MV DESC

REQUEST FOR POLICE: PATROL VOIDED

917 REPORTS NOTHING FOUND

\*\*\*\*\*

\*

Incident #: 17023375 Date: 2017-05-15 22:45:15 Type: FALARM RES NGHT

Location: 92 PLEASANT ST Disposition: SERVICES RENDER ( )

Notes:

CALLER REPORTS HIS SMOKE DETECTORS GOING OFF, NO SMOKE OR FIRE SEEN

5 PEOPLE IN THE HOUSE ADVISED TO EVACUATE

C3 HAS COMMAND

COMMAND RPTS DETECTOR MALFUNCTION STATION 1 TO HANDLE STATION 3 CAN RETURN

C3 RPTS ALARM HAS BEEN SILENCED, COMMAND TERMINATED, COMPANIES CLEAR.

REQUEST FOR POLICE: PATROL VOIDED

\*\*\*\*\*

\*