

**For Date: 02/04/2023 - Saturday**

<u>Call Number</u>	<u>Time</u>	<u>Call Reason</u>	<u>Action</u>
23-6424	0030	Phone - ALARM COMMERCIAL	Building Checked/ Secured
Call Source: Telephone			
Location/Address: [HIN Q6752] HART SUPPLY CO. - 50 POND PARK RD			
Narrative: CORNER OFFICE MOTION DETECTOR			
Narrative: 912 BUILDING CHECKED SECURED			
23-6440	0052	Radio - SUSPICIOUS ACTIVITY	Log Entry Only
Call Source: Radio			
Vicinity of: [HIN Q11137] DERBY STREET SHOPPES PROPERTY MGR - 100 DERBY ST			
Narrative: 912 CHECKING ON VEHICLE [REDACTED]			
Narrative: 912 CLEAR PARTY FINE JUST WAITING UNTIL CONT RIDE HOME			
23-6450	0107	Initiated - DIRECTED PATROL	Appears Secure
Call Source: Initiated			
Location/Address: [HIN Q11030] HINGHAM SHIPYARD MARINA S - 24 SHIPYARD DR			
Narrative: Patrolled area,no issues.			
23-6471	0253	Initiated - TRAFFIC CONTROL	No Action Required
Call Source: Initiated			
Location/Address: [HIN] 67 SHARP ST			
Narrative: DIRECTED PATROL			
23-6475	0310	Phone - ALARM COMMERCIAL	Building Checked/ Secured
Call Source: Telephone			
Location/Address: [HIN Q6687] CVS PHARMACY - 86 SOUTH ST			
Narrative: PHARMACY MOTION			
Narrative: UNITS ADVISED			
23-6487	0622	Phone - FIRE INVESTIGATION	Services Rendered
Call Source: Telephone			
Location/Address: [HIN Q6716] HINGHAM POST OFFICE - 121 NORTH ST			
Narrative: NO WATER AT ALL TO THE BUILDING. WILL MEET FD OUT BACK BY THE LOADING DOCK			
Narrative: ENG2 RPTS FROZEN METER. MAINTENANCE TO HANDLE. ENG2 CLEAR.			
23-6492	0714	Phone - ALARM COMMERCIAL	False/ Accidental Alarm
Call Source: Telephone			
Location/Address: [HIN Q11288] PAT ROCHE HOSPICE HOME - 86 TURKEY HILL LN			
Narrative: MUSIC ROOM WINDOW ALARM			

23-6499 0812 Phone - ALARM COMMERCIAL Services Rendered

Call Source: Telephone
Location/Address: [HIN Q11670] TRYST STUDIO - 29 MAIN ST
Narrative:

SIDE LOADING DOCK DOOR

Narrative: 912 RPTS ACCIDENTAL BY EMPLOYEE. WILL BE CLEAR.

23-6500 0816 911 - FIRE INVESTIGATION Services Rendered

Call Source: 911
Location/Address: [HIN Q9439] CRATE AND BARREL - 98 DERBY ST Apt. #400
Narrative:

ELEVATOR IS STUCK WITH A PARTY INSIDE

Narrative: FEMALE HAS BEEN IN ABOUT 10 MIN

Narrative: BACK DOOR

Narrative: ENG3 ON SCENE

Narrative: PARTY HAS BEEN REMOVED FROM ELEVATOR. ENG3 CLEAR

23-6513 0946 Initiated - TRAFFIC CONTROL Log Entry Only

Call Source: Initiated
Location/Address: [HIN] 771 MAIN ST @ 5 CUSHING ST
Narrative:

[REDACTED]

23-6516 0958 Phone - WELL BEING CHECK Services Rendered

Call Source: Telephone
Location/Address: [REDACTED]
Narrative:

GRANDCHILDREN REQ WELLBEING CHECK ON GRANDMOTHER. FEMALE DID NOT WANT TO GO TO HER DOCTORS APPOINTMENT YESTERDAY AND IS NOT ANSWERING THE DOOR FOR THEM. CALLED INTO THE DESK.

Narrative: 909 RPTS NO ANSWER AT DOOR AS WELL AS SHADES ARE ALL DRAWN AT THE WINDOWS.

Narrative: ATTEMPTED TO CALL FEMALE WITH NO ANSWER. MAILBOX IS NOT SET UP

Narrative: REF 23HIN-127-OF

23-6518 1006 911 - MEDICAL EMERGENCY Transported

Call Source: 911
Location/Address: [HIN Q12792] BEALS COVE [REDACTED]
Narrative:

38 YOF WITH SEVER HEADACHE

Narrative: HX OF CSF LEAK

Narrative: FEMALE UNABLE TO STAND

Narrative: UP STAIRS IN THE BEEDROOM

Narrative: HEADACHE CARD PAI

Narrative: MED2 TS BLS TO SSH

23-6519 1019 Phone - WELL BEING CHECK Services Rendered

Call Source: Telephone

Location/Address: [HIN] [REDACTED]

Narrative:

CALLER REQ A WELL BEING CHECK ON THEIR ELDERLY NEIGHBOR. CALLER DOES NOT KNOW THE NEIGHBOR VERY WELL BUT JUST WANTS SOMEONE TO MAKE SURE THE ELDERLY PARTY IS OK. CALLING PARTY LIVES AT 22 KIMBALL BEACH RD. CALLER RPTS STORM WINDOWS ARE UP AS WELL AS A CAR IN THE DRIVEWAY. CALLER DOES NOT KNOW IF THE ELEDERLY NEIGHBOR DRIVES OR NOT.

Narrative:

912 ABLE TO MAKE CONTACT WITH THE PARTY. NO ISSUES REPORTED AND THE WELL BEING CHECKS OUT. WILL BE CLEAR.

23-6526 1126 Initiated - TRAFFIC CONTROL Log Entry Only

Call Source: Initiated

Location/Address: [HIN] SOUTH PLEASANT ST

Narrative:

[REDACTED]

23-6529 1143 Phone - FIRE ALARM COMMERCIAL Referred to Other Agency

Call Source: Telephone

Location/Address: [HIN Q10590] 111 HMS FITZROY \*\*411\*\* - 111 HMS FITZROY DR

Narrative:

GENERAL FIRE ALARM. NO CONTACT WITH KH.

Narrative:

STA2 ON SCENE WITH A BURST PIPE

Narrative:

C3 REQ BUILDING INSPECTOR

Narrative:

C3 REQ MAINTENANCE AS WELL

Narrative:

B.I. HALLIN WILL BE RESPONDING. MESSAGES LEFT WITH CLANCY PRIOR

Narrative:

C3 RPTS MAINTENANCE IS ON SCENE

Dispatch Log From: 02/04/2023 Thru: 02/04/2023 0000 - 2359 Printed: 02/06/2023

## Narrative:

C3 RPTS BOX ALARM CALL BACK FOR MULTIPLE CALLS

## Narrative:

B.I. ON SCENE. ISOLATED BROKEN HEAD AND SPRINKLER COMPANY ON SCENE. ENG2 HAS COMMAND

## Narrative:

SECOND ISSUE HAS DEVELOPED WITH SPRINKLER SYSTEM AND ENG2 STILL ON SCENE

## Narrative:

ENG2 CLEAR

**23-6533 1159 Phone - 911 CALL 911 Accidental**

Call Source: Telephone

Location/Address: [HIN Q7033] STOP AND SHOP SUPERMARKET - 400 LINCOLN ST

## Narrative:

OPEN LINE 58 METERS 90% CONF

## Narrative:

MESSAGE LEFT FOR JOHN GALLIGAN

## Narrative:

JOHN WORKS AT STOP AND SHOP AND WILL MEET OFFICER OUTSIDE WEARING A S&amp;S UNIFORM STATES ACCIDENTAL

## Narrative:

912 CONFIRMED ACCIDENTAL. WILL B E CLEAR.

**23-6534 1159 911 - ERRATIC OPERATION Could Not Locate**

Call Source: 911

Location/Address: [HIN] DERBY ST

## Narrative:

CALLER REPORTING [REDACTED] HAD BEEN TAILGATING HIM AND DRIVING ERRATICLY ON ROUTE 3. VEHICLE EXITED @ DERBY ST. UNKNOWN DIRECTION AND RP CONTINUED ON TO THE NEXT EXIT. RP STATED VEHICLE WAS MISSING THE FRONT BUMPER

## Narrative:

914 CHECKED WHITING, GARDNER, AND DERBY. NOTHING SHOWING.

## Narrative:

916 CHECKED BOTH EXITS. NOTHING SHOWING EITHER.

**23-6535 1206 Phone - WIRES CALL Services Rendered**

Call Source: Telephone

Location/Address: [HIN] WARD ST

## Narrative:

IN THE AREA OF BLACKROCK CALLER REPORTS WIRES SMOKING AND SPARKING

**23-6538 1211 911 - WIRES CALL Referred to Other Agency**

Call Source: 911

Location/Address: [HIN] 134 WARD ST

## Narrative:

RP HEAR A "CRASH" THEN THE WIRE CAME DOWN. NO SPARKING. RP LOST POWER WHILE ON THE PHONE

## Narrative:

ENG3 HAS BEEN MADE AWARE AND WILL CEHCK THE AREA

## Narrative:

ENG3 OFF AT 134 WARD ST

## Narrative:

ENG3 RPTS LARGE PRIMARY DOWN IN FRONT OF 142 WARD ST. PD

Dispatch Log From: 02/04/2023 Thru: 02/04/2023 0000 - 2359 Printed: 02/06/2023

STANDING BY. REQ HINGHAM LIGHT TO RESPOND. COMMUNICATION  
WIRES ALSO DOWN IN FRONT OF 126 WARD

## Narrative:

915 WILL BE STANDING BY AWAITING HINGHAM LIGHT.

**23-6536 1212 Initiated - PROPERTY LOST Services Rendered**

Call Source: Initiated

Location/Address: [HIN] 7 WILLIAMS ST @ 11 CEDAR ST

## Narrative:

PARTY DROPPING OFF FOUND BICYLCE TO STATION. 984 WILL FILE.

Refer To Incident: [23HIN-141-OF](#)

**23-6539 1213 911 - FIRE INVESTIGATION Services Rendered**

Call Source: 911

Location/Address: [HIN] 34 WOMPATUCK RD

## Narrative:

PIPE BURST IN THE ATTIC AND IT IS FLOODING THE HOUSE. COMING  
THROUGH THE LIGHTS AND THE VENTS. NO COVID FOR THE HOUSE.

## Narrative:

MED2 CONFIRMED WATER IS FLOWING THROUGH VENTS. REQ  
ELECTRICAL INSPECTOR

## Narrative:

WI BENNETT RESPONDING ETA 15 MIN

## Narrative:

MED2 RPTS W.I. ON SCENE

**23-6542 1214 Other - RADIO / EQUIPMENT ISSUE Referred to Other Agency**

Call Source: Other

Location/Address: [HIN] SSRECC - 210 CENTRAL ST

## Narrative:

HIN STATION 3 AND NORWELL STATION 1 WENT OFF LINE. THEY  
BOTH CAME BACK ON AFTER A COUPLE OF MINUTES. NORWELL  
STATION 1 WENT OUT AGAIN.  
CALL PUT INTO ALLCOMM AND THEY WILL GET BACK TO US.

**23-6541 1216 911 - 911 CALL 911 Accidental**

Call Source: 911

Location/Address: [HIN Q12] HMS FITZROY DR - 113 HMS FITZROY DR

## Narrative:

OPEN LINE 911. CAN HEAR WALKING

## Narrative:

SPOKE W/ CAPT BECKER FROM THE FD TO CONFIRM THE ACCIDENATL

**23-6543 1219 Phone - STRUCTURE FIRE Investigated**

Call Source: Telephone

Location/Address: [HIN Q9863] BURTONS GRILL - 94 DERBY ST Apt. #279

## Narrative:

POWER WENT OUT AND SOME LIGHTS CAME BACK ON NOW THEY SMELL  
BURNING PLASTIC, EVACUATING

## Narrative:

WEYMOUTH ENGINE WILL BE RESPONDING

## Narrative:

MED3 ON SCENE. NOJTHING SHOWING AND DOES NOT APPEAR TO BE  
EVACUATED

## Narrative:

MUTUAL AID CHANNEL 3 ASSIGNED

## Narrative:

DERBY ST SECURITY SAW SMOKING SHOWING FROM A VENT

Narrative:

WEYMOUTH ENGINE CANCELLED AND THEN REQ BACK TO DERBY ST FOR IN FRON TOF LEVITATE

Narrative:

C3 ON SCENE WITH NOTHING SHOWING

Narrative:

WEYMOUTH ENGINE ON SCENE

Narrative:

HINGHAM C2 ON SCENE

Narrative:

WEYMOUTH ENGINE HAS A LIGHT HAZE IN THE BUILDING AND A BURNING SMELL

Narrative:

W.I INSPECTOR REQ TO BURTONS

Narrative:

C2 REQ A LADDER TO THE SCENE, HINGHAM LIGHT AND W.I TO SCENE ASSAP

Narrative:

COH L1 ENROUTE MUTUAL AID.

Narrative:

915 RPTS HINGHAM LIGHT RESPONDING TO BURTONS.

Narrative:

COH C1 AND C2 NOTIFIED, BOX ALARM TONED AND PAGED.

Narrative:

C2 SPOKE WITH HINGHAM LIGHT GENERAL MANAGER WHO IS AWARE OF THE ISSUES IN TOWN. ALL CREWS ARE WORKING

Narrative:

W.I. IS IN THE FRONT OF THE BUILDING. HINGHAM LIGHT IS ON SCENE

Narrative:

COHASSET LADDER 1 ON SCENE

Narrative:

CHARRED WIRES IN ONE OF THE HOODS IN THE BUILDING

Narrative:

HINGHAM LIGHT WILL BE RESTORING POWER, ELECTRICAN AND W.I WILL BE GOING THROUGH.

Narrative:

ENG3 WILL BE STANDING BY

Narrative:

MULTIPLE ALARMS AND STROBES GOING PANNEL BY PANNEL TO TRY AND RESET

23-6544 1223 Phone - FIRE INVESTIGATION Referred to Other Agency

Call Source: Telephone

Location/Address: [HIN 270] THE RESIDENCE AT PENNIMAN HILL \*\*411\*\* - 276 WHITING ST

Narrative:

REPORTING NO POWER. GENERATORS DO NOT CONTROL THE HEAT.

Narrative:

C3 AWARE

Narrative:

Dispatch Log From: 02/04/2023 Thru: 02/04/2023 0000 - 2359 Printed: 02/06/2023

REQ HINGHAM LIGHT BE CONTACTED. ATTEMPTED TO CALL 4 TIMES NO ANSWER

## Narrative:

C5 IS ENROUTE

## Narrative:

C5 ON SCENE

## Narrative:

C5 RPTS POWER IS BACK ON AND THEY ARE ALL SET

## Narrative:

C5 IS CLEAR

**23-6545 1227 Cellular - FIRE INVESTIGATION Cancelled Before Arrival**

Call Source: Cellular

Location/Address: [HIN Q238] CURRENT RESIDENT \*\*411\*\* - 13 BEALS COVE RD Apt. #H

## Narrative:

CALLER REPORTS A PIPE BURST IN THE WALL AND IS NOW POURTING INTO TO UNIT AND OUTSIDE.

## Narrative:

PLUMBER ON SCENE AND WAS ABLE TO ISOLATE THE WATER. NO NEED FOR FIRE

**23-6547 1231 Phone - FIRE ALARM DAY RESIDENTIAL Services Rendered**

Call Source: Telephone

Location/Address: [HIN Q9103] 4 BUTTON COVE RD

## Narrative:

SIDE ENTRY SMOKE. NO KH

## Narrative:

ALARM COMPANY RPTS HOMEOWNER IS NOT HOME BUT CALLED TO RPT THAT FIRE CAN ENTER THROUGH THE GARAGE AND TAKE THE STAIRS THAT GO TO THE BASEMENT TO LEAD INTO THE HOUSE.

## Narrative:

909 RPTS EVERYHTING APPEARS FINE. ALSO RPTS A SMELL OF SMOKE BUT THINKS IT MAY BE A CHIMNEY SMOKE COMING FROM THE NEIGHBORS HOUSE.

## Narrative:

C3 REQ HULL ENGINE TO RESPOND

## Narrative:

200 RPTS WATER FLOWING IN THE HOUSE

## Narrative:

ENG2 RPORTS PIPE BURST AND MAJOR FLOODING IN THE HOUSE

## Narrative:

ENG2 REQ W.I.

## Narrative:

WI/BENNETT EN ROUTE FROM DERBY ST CALL.

## Narrative:

W.I ON SCENE

## Narrative:

ENG2 CLEARED BY ELECTRICAL INSPECTOR

**23-6548 1233 Phone - FIRE ALARM COMMERCIAL Referred to Other Agency**

Call Source: Telephone

Location/Address: [HIN] 94 DERBY ST

## Narrative:

## BUILDING 2 MAIN FIRE ALARM

## Narrative:

C3 IS MADE AWARE AND RPTS ALARMS ARE SOUNDING

**23-6550 1240 Phone - GENERAL INFO Referred to Other Agency**

Call Source: Telephone

Location/Address: [HIN] 1 WINTHROP RD

## Narrative:

POWER HAS BEEN OUT FOR A HALF HOUR AGO, DISP HAS ATTEMPTED TO CONTACT HINGHAM LIGHT WITH NO RESPONSE

## Narrative:

HINGHAM LIGHT, GENERAL MANAGER, IS AWARE OF THE POWER OUTAGE. THERE'S AN ISSUE IN S. HINGHAM THAT THEY ARE TRYING TO PINPOINT.  
A CREW IS WORKING TO FIND AND REPAIR.

**23-6551 1249 Phone - FIRE ALARM COMMERCIAL Services Rendered**

Call Source: Telephone

Location/Address: [HIN] 200 RECREATION PARK DR

## Narrative:

ALARM COMPANY REPORTS A GENERAL FIRE ALARM FOR "FOX ROCK" .

## Narrative:

ROCKLAND ENGINE RESPONDING, MUTUAL AID CHANNEL 1 ASSIGNED.

## Narrative:

C2 ON SCENE. NOTHING SHOWING. INVESTIGATING AND NO ALARMS SOUNDING

## Narrative:

C2 RPTS WALKED THE BUILDING, NOTHING FOUND. NO POWER TO THE BUILDING. CLEAR

## Narrative:

ALARM CO CALLED WITH THE SAME ALARM AGAIN

## Narrative:

REPRESENTATIVE FROM THE BUILDING ON SCENE.

**23-6552 1258 Phone - GENERAL INFO Log Entry Only**

Call Source: Telephone

Location/Address: [HIN Q6693] CROW POINT PIZZARIA - 191 LINCOLN ST

## Narrative:

SPRINKLER CO ON SCENE WORKING ON BURST PIPES SO THE COMPLEX HAS NO FIRE PROTECTION

## Narrative:

C3 MADE AWARE

## Narrative:

SPRINKLER COMPANY HAS MADE THE REPAIRS AND SYSTEM IS UP AND OPERATIONAL

**23-6553 1300 911 - 911 CALL Services Rendered**

Call Source: 911

Location/Address: [HIN Q181] WARD ST - 111 WARD ST

## Narrative:

FEMALE DIALED 911 TO INQUIRE ABOUT POWER OUTAGES AND WARMING CENTERS.

## Narrative:

NO COVID

## Narrative:

909 CLEAR. CONFIRMED CALLER IS OK.



23-6554 1301 Phone - TREE DOWN Referred to Other Agency

Call Source: Telephone
Location/Address: [HIN] 291 CUSHING ST
Narrative:

CALLER STATES THEE IS HALF OF A PINE TREE HANGING OVER CUSHING ST BEING HELD UP BY ANOTHER TREE LIMB. RP HAD TREE WORK DONE ON THIS TREE A FEW MONTHS AGO

Narrative: C2 IS ENROUTE

Narrative: C2 ON SCENE

Narrative: C2 REQ DPW TO RESPOND FOR A PRIORITY. TREE NEEDS TO BE HANDLED BY THEM. LOCATED AT THE CORNER OF THE DRIVEWAY

23-6555 1303 Phone - TRAFFIC / ROAD HAZARD Services Rendered

Call Source: Telephone
Location/Address: [HIN] 460 CUSHING ST @ 236 WHITING ST
Narrative:

TRAFFIC LIGHTS ARE OUT

23-6556 1305 911 - M V STOLEN Services Rendered

Call Source: 911
Location/Address: [HIN Q11585] WILLIAMS SONOMA - 96 DERBY ST Apt. #315
Narrative:

LIGHT GREY BMW 5 SERIES, KEYS WERE IN THE CAR AND IT WAS RUNNING. IT IS A RENTAL. WALLET IS INSIDE. JUST HAPPENED WITHIN THE LAST 5 MINUTES.

Narrative: WHITE COLORED CALIFORNIA PLATE. UNK REG.

Narrative: NO COVID FOR THE CALLER.

Narrative: CALLER IS STANDING OUTSIDE OF CRATE AND BARREL.

Narrative: DERBY SECURITY NOTIFIED AND ENROUTE

Narrative: WEYMOUTH PD NOTIFIED.

Narrative: WHITMAN PD NOTIFIED.

Narrative: 984 RPTS BLACK MALE WITH A BLACK JACKET.

Narrative: 914 RPTS [REDACTED]

Narrative: BOLO GIVEN ON BAPREN SOUTH DISTRICT.

Narrative: 914 RPTS UPDATED ADDRESS OF [REDACTED]

Narrative: 914 RPTS UPDATED PING. STILL AT [REDACTED]

Narrative: ABINGTON PD RPTS NOTHING WAS SHOWING IN THE AREA, THEY WERE

ADVISED THE PING HAS NOT MOVED.

Narrative:

ABINGTON RPTS THEY HAVE THE IPAD AND A FEW OTHER ITEMS THAT WERE DUMPED OUT OF THE VEHICLE. NO VEHICLE THOUGH. THEY WERE ON THE SIDE OF THE ROAD IN THE GENERAL AREA OF [REDACTED] ST THEIR TOWN.

Narrative:

914 CLEAR, TX THAT MALE TO HIS RESIDENCE @ 33 K ST.

Narrative:

914 CLEAR OF THE TX. REQ ABINGTON IS NOTIFIED THAT THE CALLING PARTY WILL BE HEADING TO ABINGTON TO RETRIEVE HIS BELONGINGS THAT WERE DUMPED FROM THE VEHICLE.

Narrative:

VEHICLE WAS ENTERED INTO NCIC

Refer To Incident: [23HIN-142-OF](#)

**23-6557 1312 911 - 911 CALL Services Rendered**

Call Source: 911  
 Location/Address: [HIN] 25 BREWSTER RD  
 Narrative:

FEMALE DIALED 911 BECAUSE POWER IS OUT AND CANNOT GET THROUGH TO THE POWER COMPANY. ADVISED SOMEONE WILL BE BY TO CONFIRM. NO COVID.

Narrative:

909 ADVISED.

Narrative:

915 CLEAR. CONFIRMED CALLER IS OK.

**23-6562 1330 Phone - FIRE ALARM COMMERCIAL Services Rendered**

Call Source: Telephone  
 Location/Address: [HIN Q6951] DERBY ACADEMY, OFFICE AND CAMPUS BLDG'S - 56 BURDITT AVE  
 Narrative:

GENERAL FIRE ALARM, ZONE 992. NO CONTACT WITH KH.

Narrative:

C5 RPTS ALARMS ARE SOUNDING. WILL BE INVESTIGATING

Narrative:

911 CALLER REPORTS WATER COMING DOWN OUT OF THE THEATER

Narrative:

ALARM COMPANY RPTS [REDACTED] KH STATED THAT THERE IS A SPRINKLER ISSUE CAUSING A WATER FLOW PROBLEM.

Narrative:

C2 AND MED2 CLEAR

Narrative:

HULL NEG1 CANCELLED. MAINTENANCE ON SCENE. BURST PIPE

Narrative:

C5 RPTS SYSTEM SHUT DOWN. MAINTENANCE ON SCENE. SILENCE AND YOUTH SPORTS IN THE GYM BUT AWARE OF THE SITUATION

**23-6563 1338 911 - 911 CALL 911 Accidental**

Call Source: 911  
 Location/Address: [HIN] 32 FRENCH ST  
 Narrative:

911 CALLER REPORTING POWER ISOUT. WILL KEEP AND EYE OUT FOR THE OFFICER

Narrative:

915 CLEAR. CONFIRMED CALLER IS OK.

**23-6564 1343 Phone - ALARM RESIDENTIAL Building Checked/ Secured**  
 Call Source: Telephone  
 Location/Address: [HIN Q12708] 40 CANTERBURY ST - 40 CANTERBURY ST  
 Narrative:  
 ZONE 16 BASEMENT BURG ALARM. NO KH  
 Narrative:  
 HOME IS SECURED

**23-6565 1348 911 - 911 CALL Services Rendered**  
 Call Source: 911  
 Location/Address: [HIN Q12483] CURRENT RESIDENT - 3 OAKCREST RD  
 Narrative:  
 911 CALLER REPORTING HER POWER IS OUT  
 Narrative:  
 909 ADVISED.

**23-6567 1352 Phone - ALARM COMMERCIAL Building Checked/ Secured**  
 Call Source: Telephone  
 Location/Address: [HIN 1089] ALLBIRDS - 94 DERBY ST Apt. #243  
 Narrative:  
 SUITE 243 FRONT LEFT DOOR. NO CONTACT WITH KH.  
 Narrative:  
 909 RPTS. NO ACTIVITY GOING ON AT ALLBIRDS.

**23-6568 1357 911 - 911 CALL 911 Accidental**  
 Call Source: 911  
 Location/Address: [HIN] 481 CUSHING ST  
 Narrative:  
 OPEN 911 CALL FROM A TWO YO. MOM GOT ON THE PHONE, NO ISSUES AND SHE WILL WAVE TO THE PD FROM THE DOOR.  
 Narrative:  
 916 CLEAR. CONFIRMS ACCIDENTAL.

**23-6570 1406 Phone - FIRE ALARM COMMERCIAL Investigated**  
 Call Source: Telephone  
 Location/Address: [HIN Q7033] STOP AND SHOP SUPERMARKET - 400 LINCOLN ST  
 Narrative:  
 STOP & SHOP SECURITY REPORTS A GEN FIRE ALARM FOR THE STORE.  
 Narrative:  
 WATER FLOW IN THE ENTRY OF THE STORE PER C3  
 Narrative:  
 C3 RPTS WILL BE SHUTTING DOWN SYSTEM. WILL BE TIED UP  
 Narrative:  
 C3 RPTS B.I, W.I AND BOARD OF HEALTH  
 Narrative:  
 WI COMOLETTI ENROUTE  
 Narrative:  
 MESSAGES LEFT FOR CLANCY AND HALLIN  
 Narrative:  
 MESSAGE LEFT [REDACTED] AN DHOUSE  
 Narrative:  
 MESSAGE LEFT FOR BOARD OF HEALTH

## Narrative:

ENG1 HAS COMMAND

## Narrative:

BI/BOB EGAN RESPONDING W/ A 5 MIN ETA.

## Narrative:

W.I ON SCENE. AWAITING ON B.I. AND BOARD OF HEALTH

## Narrative:

ENG1 RPTS A DOMESTIC WATER PIPE. COMPANIES STANDING BY FOR INSPECTORS AND BOARD OF HEALTH. BUILDING HAS BEEN EVACUATED

**23-6572 1408 Phone - ALARM COMMERCIAL Building Checked/ Secured**

Call Source: Telephone

Location/Address: [HIN Q10922] CHASE BANK - 421 LINCOLN ST

## Narrative:

FRONT DOOR FOYER. SECOND SET OF DOORS

## Narrative:

912 ALL CLEAR. RPTS BUILDING IS SECURED.

**23-6577 1423 Phone - FIRE ALARM COMMERCIAL Investigated**

Call Source: Telephone

Location/Address: [HIN Q8499] ALLERTON HOUSE AT HARBOR PARK \*\*411\*\* - 15 CONDITO RD

## Narrative:

MAIN FIRE. NO CONTACT YET.

## Narrative:

NO FIRE, THERE IS WATER LEAKING INTO THE BUILDING. PER STAFF. NOTHING FURTHER. CALLER DISCONNECTED.

## Narrative:

ENG2 ON SCENE A WITH STROBES

## Narrative:

BURST SPRINKLER ON THE FIRST FLOOR. WILL BE INVESTIGATING

## Narrative:

SPRINKLER SYSTEM SHUT DOWN

## Narrative:

ENG2 RPTS MED3 CAN CLEAR

## Narrative:

ENG2 HAS BEEN CLEARED BY C3

**23-6579 1449 911 - FIRE INVESTIGATION Investigated**

Call Source: 911

Location/Address: [HIN] 63 BEL AIR RD

## Narrative:

BURST PIPE HOUSE IS FLOODED.

## Narrative:

ENG2 RPTS WATER HAS BEEN SHUT OFF. ISOLATED THE PROBLEM. COMPANIES CLEAR

**23-6581 1453 Phone - ALARM / HOLD-UP / PANIC Services Rendered**

Call Source: Telephone

Location/Address: [HIN Q12180] [REDACTED] FRENCH ST

## Narrative:

PANIC ALARM FOR ZONE 2. NO CONTACT WITH KH.

## Narrative:

UNITS CLEAR. SPOKE WITH HOMEOWNER AND RPTS ACCIDENTAL.

**23-6582 1456 Phone - ALARM / HOLD-UP / PANIC Building Checked/ Secured**

Call Source: Telephone

Location/Address: [HIN 285] CAVA - 94 DERBY ST Apt. #239

Narrative:  
HOLD UP ALARM

Narrative:  
909 ADVISED. WILL BE A DELAYED RESPONSE.

Narrative:  
UNITS RPT ELECTRICIANS ARE GOING IN AND OUT. UNITS WILL BE CLEAR.

**23-6585 1514 Initiated - TRAFFIC CONTROL Log Entry Only**

Call Source: Initiated

Location/Address: [HIN Q11137] DERBY STREET SHOPPES - 100 DERBY ST

Narrative:  
No witnessed parking violations...

**23-6586 1514 Phone - FIRE ALARM COMMERCIAL Investigated**

Call Source: Telephone

Location/Address: [HIN Q12362] SCHOOL BUS DISPATCH OFFICE - 19 FORT HILL ST Apt. #132

Narrative:  
GEN FIRE NO KH

Narrative:  
915 RPTS BURST PIPE.

Narrative:  
ENG2 AND C3 ON SCENE

Narrative:  
C3 PIPE BURST IN THE CEILING. DOMESTIC WATER THAT HAS BEEN SHUT OFF. WIRING ISOLATED THE POWER. SCHOOL DEPARTMENT NOTIFIED. CLEAR

**23-6588 1520 Phone - FIRE ALARM COMMERCIAL Services Rendered**

Call Source: Telephone

Location/Address: [HIN Q10590] 111 HMS FITZROY \*\*411\*\* - 111 HMS FITZROY DR

Narrative:  
GEN FIRE NO KH

Narrative:  
REQ W.I. TO THE SCENE

Narrative:  
W.I. COMOLETTI ON SCENE

Narrative:  
912 RPTS BURST PIPE.

Narrative:  
912 RPTS BUILDING MAINTENANCE ON SCENE.

Narrative:  
CONFIRMED AND WILL BE SHUTTING DOWN SYSTEM

Narrative:  
SPRINKLER SYSTEM SHUT DOWN, BUILDING MAIT ON SCENE.

Narrative:  
SPRINKLER COMPANY ON SCENE

Narrative:  
SPRINKLER SYSTEM SHUT DOWN, WILL HAVE FIRE WATCH UNTIL MONDAY. E1 CLEAR.

**23-6597 1621 911 - FIRE ALARM DAY RESIDENTIAL Services Rendered**  
 Call Source: 911  
 Location/Address: [HIN] 33 BONNIE BRIER CIR  
 Narrative:  
 CALLER RPTS HER FIRE ALARMS ARE SOUNDING AND WATER IS ON THE FLOOR. CALLER ADVISED TO EVACUATE DUE TO ALARMS SOUNDING. NO SMOKE OR FIRE.  
 Narrative:  
 SAME 911 CALLER CALLED BACK TO REPORT HER HOUSE IS FLOODING. ALARMS STILL SOUNDING.  
 Narrative:  
 REQ WI TO THE SCENE  
 Narrative:  
 911 ADVISED WILL RESPOND IF NEEDED  
 Narrative:  
 ISOLATED THE WATER AND SHUT DOWN SOME OF THE POWER, STANDING BY FOR THE WI.  
 Narrative:  
 WI BENNETT ENROUTE  
 Narrative:  
 LIGHT DEPT OAS  
 Narrative:  
 NO OTHER HAZARDS, E2 CLEAR

**23-6599 1623 911 - FIRE ALARM DAY RESIDENTIAL Services Rendered**  
 Call Source: 911  
 Location/Address: [HIN] 12 BACKRIVER RD  
 Narrative:  
 CALLER RPTS HER FIRE ALARMS ARE SOUNDING. NO SMOKE OR FIRE. ADVISED TO EVACUATE.  
 Narrative:  
 CALLER FROM 45 BACKRIVER RD RPTS HER NEIGHBOR AT 12 BACKRIVER HAS FIRE ALARMS SOUNDING.  
 Narrative:  
 BI AND WI TO THE SCENE, BURST SPRINKLER.  
 Narrative:  
 W.I BENNETT ENROUTE 15 MINUTE ETA.  
 Narrative:  
 BI HALIN 30 MIN  
 Narrative:  
 917 ADVISED WILL RESPOND IF NEEDED  
 Narrative:  
 UTILITIES SECURED, JUST WAITING ON THE BI AND WI.  
 Narrative:  
 HINGHAM LIGHT TO THE SCENE  
 Narrative:  
 HINGHAM LIGHT ADVISED ENROUTE  
 Narrative:  
 UTILITIES SECURE, C3 CLEAR.

**23-6600 1636 911 - 911 CALL 911 Accidental**  
 Call Source: 911  
 Location/Address: [HIN] 118 WARD ST

## Narrative:

ACCIDENTAL 911 CALL. CALLER WILL WAVE TO OFFICER FROM THE FRONT DOOR.

## Narrative:

917 RPTS CONFIRMED ACCIDENTAL

**23-6602 1649 911 - 911 CALL 911 Accidental**

Call Source: 911

Location/Address: [HIN] 92 DERBY ST

## Narrative:

911 HANG UP. NO DISTRESS. 96 METERS 95%.

## Narrative:

NOE 102 DERBY ST. 9 METERS 95%.

## Narrative:

ON CALL BACK CALLER STATES ACCIDENTAL. NO EMERGENCY. CALLER WAS GETTING GAS AND IS NOW LEAVING THE AREA. DOES NOT WISH TO SPEAK TO AN OFFICER.

**23-6604 1702 911 - GAS LEAK INSIDE Services Rendered**

Call Source: 911

Location/Address: [HIN] 24 BRADLEY WOODS DR

## Narrative:

CALLER RPTS WATER PIPE BURST AND NOW THE GAS STOVE IS MAKING A CLICKING SOUND AND YOU CAN SMELL GAS INSIDE. ADVISED TO EVACUATE.

## Narrative:

911 RPTS EVERYONE HAS EVACUATED

## Narrative:

REQ WI AND BI TO THE SCENE

## Narrative:

WI BENNET ADVISED ENROUTE FROM 12 BACKRIVER RD

## Narrative:

BI HALLIN ENROUTE.

## Narrative:

UTILITIES ARE SHUT OFF, E3 CLEAR

**23-6605 1720 Initiated - M V STOP Citation Issued**

Call Source: Initiated

Vicinity of: [HIN Q11493] HERB CHAMBERS LEXUS HINGHAM - 141 DERBY ST

## Narrative:

CITATION ISSUED

**23-6609 1726 Initiated - M V STOP Citation Issued**

Call Source: Initiated

Vicinity of: [HIN Q11493] HERB CHAMBERS LEXUS HINGHAM - 141 DERBY ST

## Narrative:

CITATION ISSUED

**23-6610 1739 Phone - 911 CALL 911 Accidental**

Call Source: Telephone

Location/Address: [HIN] 5 SHERMAN WAY

## Narrative:

ACCIDENTAL 911 CALL. CALLER WILL WAVE TO OFFICER FROM THE FRONT DOOR.

## Narrative:

917 RPTS ACCIDENTAL AND WILL BE CLEAR

**23-6611 1742 Initiated - M V STOP Citation Issued**

Call Source: Initiated  
Vicinity of: [HIN Q11493] HERB CHAMBERS LEXUS HINGHAM - 141 DERBY ST  
Narrative:

CITATION ISSUED

**23-6615 1753 Initiated - M V STOP Citation Issued**

Call Source: Initiated  
Vicinity of: [HIN] 30 DOWNER AVE @ 1 CONDITO RD  
Narrative:

90/17/A

90/20/B

[REDACTED]

[REDACTED]

Narrative:

911 CLEAR CITATION ISSUED TO THE OPERATOR AND A ADDITIONAL CITATION ISSUED TO THE OWNER OF THE VEHICLE

**23-6616 1800 Phone - GENERAL INFO Investigated**

Call Source: Telephone  
Location/Address: [HIN] [REDACTED]  
Narrative:

[REDACTED]

Narrative:

911 WILL BE CLEAR AND FILE ADVISE WAS GIVEN

Refer To Incident: [23HIN-143-OF](#)

**23-6619 1810 911 - 911 CALL 911 Accidental**

Call Source: 911  
Location/Address: [HIN] 33 SIMMONS RD  
Narrative:

ACCIDENTAL 911 CALL. CALLER WILL WAVE TO THE OFFICER FROM THE FRONT DOOR.

Narrative:

910 RPTS CONFIRMED ACCIDENTAL WILL BE CLEAR

**23-6620 1811 Initiated - M V STOP Citation Issued**

Call Source: Initiated  
Vicinity of: [HIN Q10698] FRESH MARKET - 11 HMS ESSINGTON DR  
Narrative:

911 RPTS ATTEMPTING A ROAD SIDE RENEWAL

Narrative:

90/9/B

90/20/B

Narrative:

UNABLE TO RENEW CITATION ISSUED AND THE VEHICLE IS PARKED IN FRESH MARKET

**23-6623 1826 Phone - C O ALARM / WITHOUT SYMPTOMS Services Rendered**

Call Source: Telephone  
Location/Address: [HIN Q6992] PILGRIM SKATING ARENA - 75 RECREATION PARK DR  
Narrative:

CALLER RPTS THERE IS A LEAK IN THE COMPRESSOR ROOM AND THE CO ALARMS ARE SOUNDING. BUILDING IS EVACUATING. NO ONE FEELS SICK. REQ THE FD RESPOND TO THE BACK OF THE ARENA.



## Narrative:

WATER LEAK IN THE PUMP ROOM, REQ BI AND WI TO THE SCENE. NO CO READINGS.

## Narrative:

WI BENNETT 20 MIN ETA

## Narrative:

REQ HINGHAM LIGHT AS WELL

## Narrative:

BI HALLIN 25 MIN ETA

## Narrative:

HINGHAM LIGHT ADVISED NO ETA

## Narrative:

HINGHAM LIGHT TO HANDLE THE SCENE

**23-6625 1838 Initiated - M V STOP Citation Issued**  
 Call Source: Initiated  
 Vicinity of: [HIN] 96 DERBY ST  
 Narrative: CITATION ISSUED

**23-6628 1848 Initiated - M V STOP Citation Issued**  
 Call Source: Initiated  
 Vicinity of: [HIN] 96 DERBY ST  
 Narrative: CITATION ISSUED

**23-6633 1857 Phone - ALARM COMMERCIAL Log Entry Only**  
 Call Source: Telephone  
 Vicinity of: [HIN Q7033] STOP AND SHOP SUPERMARKET - 400 LINCOLN ST  
 Narrative: PASSERBY REPORTING AN ALARM SOUNDING AT THE REAR OF THE BUILDINGS COMPLEX OF STOP AND SHOP AND MARSHALLS DOESNT BELIEVE IT TO BE A FIRE ALARM NO STROBES  
 Narrative: ALARM IS RELATED TO THE BACKRIVER RD CALL. SINCE BEEN SILENCED.

**23-6636 1906 911 - SUSPICIOUS ACTIVITY Could Not Locate**  
 Call Source: 911  
 Location/Address: [HIN] WOODLOCK RD  
 Narrative: CALLER RPTS HE SAW 2 MALES ABOUT 17 YEARS OLD IN JOGGERS HIDING BEHIND A TREE ACTING SUSPICIOUS. MALES WERE AT THE BIG WHITE HOUSE ON THE HILL. CALLER WOULD JUST LIKE THE AREA CHECKED. CALLER DOES NOT WANT TO SPEAK TO AN OFFICER.  
 Narrative: 917 RPTS CHECKING THE PROPERTY AT 31 WOODLOCK  
 Narrative: UNITS CHECKED THE AREA AND COULD NOT LOCATE THE MALES THEY ALSO CHECKED THE PROPERTY AND APPEARS SECURE

**23-6644 1946 Phone - WIRES CALL Services Rendered**  
 Call Source: Telephone  
 Vicinity of: [HIN] 28 HANCOCK RD  
 Narrative: LOW HANGING WIRE POSSIBLY A COMMUNICATION WIRE WOULD LIKE THE FIRE DEPT TO CHEK ON THE WIRE WHEN THEY HAVE A CHANCE

Narrative:

914 RPTS THE WIRE IS A COMCAST WIRE LOW HANGING

Narrative:

LOW HANGING WIRE, WILL BE CUTTING AND REMOVING THE HAZARD

Narrative:

WIRE HAS BEEN REMOVED AND SECURED TO SOME TREES, E3 CLEAR

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

23-6649      2019      Phone - SUSPICIOUS VEHICLE      Services Rendered

Call Source:      Telephone

Location/Address:      [HIN Q6752] HART SUPPLY CO. - 50 POND PARK RD

Narrative:

CALLER REPORTS THERE IS A VAN BELONGING TO THE SUPPLY CO FACING THE WOODS AND THE LIGHTS ARE ON. THEY HAVE BEEN THERE FOR MOST OF THE NIGHT. CALLER IS ON THE WEYMOUTH SIDE BUT THE LIGHTS ARE SHINING IN HIS HOUSE.

Narrative:

VAN IS IN THE BACK OF THE LOT.

Narrative:

914 RPTS THE PARTY CHECK OUT IS A EMPLOYEE THAT WAS RESTING BEFORE THEY DROVE HOME

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

23-6675      2222      Initiated - M V STOP      Citation Issued

Call Source:      Initiated

Vicinity of:      [HIN] 12 SUMMER ST @ 61 WATER ST

Narrative:

CITATION ISSUED

Narrative:

90/17/A

**23-6677 2231 Initiated - M V STOP Verbal Warning**  
 Call Source: Initiated  
 Location/Address: [HIN Q7395] BATHING BEACH - 95 OTIS ST  
 Narrative:  
 VERBAL WARNING  
 Narrative:  
 90/6

**23-6678 2237 911 - 911 CALL 911 Accidental**  
 Call Source: 911  
 Location/Address: [HIN] 4 PIONEER RD  
 Narrative:  
 ACCIDENTAL 911 CALL. CALLER WILL WAVE FROM THE DOOR.  
 Narrative:  
 914 RPTS ACCIDENTAL WILL BE CLEAR

**23-6680 2239 Phone - MESSAGE NOTIFICATION Log Entry Only**  
 Call Source: Telephone  
 Location/Address: [HIN Q8499] ALLERTON HOUSE AT HARBOR PARK \*\*411\*\* - 15 CONDITO RD  
 Narrative:  
 SPRINKLER TECH RPTS SYSTEM IS WORKING AGAIN. ALL PANNELS  
 ARE ALL SET.

**23-6681 2240 Phone - DISTURBANCE Could Not Locate**  
 Call Source: Telephone  
 Location/Address: [HIN] MIDDLE ST  
 Narrative:  
 CALLER RPTS THERE IS A MALE IN A BLUE JACKET KNOCKING ON  
 DOORS. MALE RAN THROUGH YARDS TOWARDS SCHOOL ST. CALLER  
 DOES NOT WANT TO SPEAK TO AN OFFICER REQ SOMEONE CHECK THE  
 AREA.  
 Narrative:  
 UNITS CHECKED THE AREA AND COULD NOT LOCATE UNITS CLEAR

**23-6682 2253 Phone - ASSIST OTHER AGENCY Could Not Locate**  
 Call Source: Telephone  
 Vicinity of: [HIN 1053] CURRENT RESIDENT \*\*411\*\* - XXXXXXXXXX  
 Narrative:  
 455/458 ENROUTE TO STOP & SHOP PARKING LOT TO MEET HINGHAM  
 UNITS  
 Narrative:  
 455/458 OAS 300 BEAL ST WITH 910/911  
 Narrative:  
 UNABLE TO LOCATE, UNITS CLEAR.  
 Narrative:  
 558 BLVD BACK IN TOWN ENDING MIL 5586

**23-6687 2314 Phone - FIRE ALARM COMMERCIAL Services Rendered**  
 Call Source: Telephone  
 Location/Address: [HIN Q11288] PAT ROCHE HOSPICE HOME - 86 TURKEY HILL LN  
 Narrative:  
 MAIN FIRE ALARM. NO KH.  
 Narrative:  
 ACTIVE SPRINKLER HEAD, WI AND BI TO THE SCENE.  
 Narrative:  
 BI CLANCY ENROUTE 30 MINUTE ETA.

## Narrative:

MEDIC 2 CLEARED BY COMMAND HEADING BACK TO STA 2

## Narrative:

E2 CLEARED BY COMMAND RETURNING STA 2

## Narrative:

HINGHAM MEDIC 2 BIQ

## Narrative:

SPRINKLER AND ELECTRICIAN WILL BE NOTIFIED AND WILL HANDLE,  
RESIDENCE WILL HANDLE FIRE WATCH FOR THE EVENING, COMPANIES  
CLEAR