

For Date: 02/25/2023 - Saturday

101 Date: 02/23/20	525 Saturday						
Call <u>Number</u> <u>Time</u>	Call Reason	Action					
	CLEAR VERBAL WARNING	Verbal Warning IED CHICKEN - 11 WASHINGTON ST					
23-11014 0033	Phone - ALARM COMMERCIAL	Cancelled Before Arrival					
Call Source: Location/Address: Narrative:	ZONE 2 EMERGENCY EXIT DOOR TO THE LOBBY IN G CORRIDOR						
Narrative:							
23-11022 0056 Call Source: Location/Address: Narrative:	911 [HIN] 156 HIGH ST	911 Accidental					
Narrative:							
Narrative:	CLEAR CONFIRMED ACCIDENTAL						
	Radio - M V CRASH WITH INJ Radio [HIN] OFF RAMP - RT 3 N 4 RUNNER OFF THE RD RT 3 NORT ITS HAZARDS ON	-					
Narrative:	PCC CHANNEL 3 ASSIGNED.						
Narrative:	MSP ADVISED AND ENROUTE						
Narrative:	ENG3 RPTS SINGLE CAR MVC ON T	HE RT 3 N ON RAMP.					
Narrative:	ENG3 RPTS MED3 WILL TRANSPORT 2. C3 CAN CANCEL.						
Narrative:	MED3 TX 2 SSH BLS.						
Narrative:	MEDIC 3 OAS SSH						
Narrative:	ENG3 RPTS EXPRESS HAS THE VEH TERMINATED.	ICLE. ENG3 CLEAR. COMMAND					








Hingham Police Department Page: Dispatch Log From: 02/25/2023 Thru: 02/25/2023 0000 - 2359 Printed: 02/27/2023 23-11118 1309 911 - MEDICAL EMERGENCY Transported 5

Call Source: 911 Location/Address: 23-11121 1315 Initiated - M V STOP Citation Issued Call Source: Initiated Vicinity of: [HIN Q7714] HINGHAM LIGHT DEPARTMENT - OLD GARAGE - 308 CUSHING ST 23-11122 1318 911 - C O ALARM / WITHOUT SYMPTOMS Good Intent Call 911 Call Source: Location/Address: [HIN] 6 TAYLOR LN Narrative: CO ALARMS SOUNDING, NOT FEELING SICK. NO COVID FOR THE CALLER. ADVISED TO EVACUATE. Narrative: E2 TO HANDLE Q1 CLEAR Narrative: E2 REPORTS CO ALARM INSTALLED IN GARAGE. HOMEOWNER HAS BEEN ADVISED TO INSTALL CORRECTLY. ALL COMPANIES CLEAR. 251338Phone - FRAUDCall Source:Telephonecion/Address:[HIN] 223 PROSPECT ST 23-11125 Services Rendered Location/Address: Narrative: CALLER WOULD LIKE TO SPEAK TO AN OFFICER ABOUT SOMEONE POSTING FRAUDULENT ITEMS ON THE HINGHAM PIN BOARD FACEBOOK PAGE. Narrative: 917 CLEAR CALLER JUST WANTED PD TO BE AWARRE PEOPLE ARE OUT THERE TRYING TO SCAM 23-11127 911 - MEDICAL EMERGENCY 1413 Transported Call Source: 911 Location/Address: [HIN Q11135] ROSE COURT BLDG **411** -23-11128 1423 911 - FIRE INVESTIGATION Extinguished Call Source: 911 911 [HIN Q7340] HINGHAM TRANSFER STATION - 190 HOBART ST Location/Address: Narrative: CALLER REPORTS SOMEONE THREW BURNING EMBERS INTO THE TRASH AND IT CAUSED A FIRE. HE PUT THE FIRE OUT BUT WOULD LIKE THE FIRE DEPT TO DOUBLE CHECK IT. Narrative: E2 REPORTS A BAG OF HOT EMBERS THROWN INTO A COMPACTER. EMBERS REMOVED. AREA HAS BEEN WET DOWN. ALL COMPANIES CLEAR RETURNING 911 - 911 CALL 23-11133 1500 911 Accidental Call Source: 911 Location/Address: [HIN] 6 SEAL COVE LN Narrative: 911 HANG UP



Dispatch Log F	'rom: 02/25/2023	Hingham P Thru: 02/25/2	olice I 2023)epartment 0000 - 2359	Printed: (02/27/2023	Page:	7
Location/Address:	[HIN] 7 WILLI	AMS ST						
Narrative:	911 HANG UP, ACC OFFICER AT THE I		HE CALL BA	ACK, WILL MEE	T THE			
Narrative:	CONFIRMED ACCIDE	NTAL						
23-11150 1730	Phone - ALARN	I COMMERCIAL		Fal	lse/ Acciden	tal Alarm		
Call Source: Location/Address: Narrative:		NATIONAL GOVE	ERNMENT SI	ERVICES - 75	SGT WILLIAM	B TERRY DR		
23-11152 1738 Call Source: Location/Address: Narrative:	911 - 911 CAJ 911 [HIN] 47 ELM 911 ACCIDENTAL,	ST	E OFFICER		Accidental			
Narrative:	CONFIRMED ACCIDE							
23-11154 1749	Radio - MISSI	NG PERSON		Mul	ltiple Agency	y Response		
Call Source: Location/Address:		LYMOUTH RIVER	R ELEMENT	ARY SCHO - 20	0 HIGH ST			
					-			





9

- Call Source: Initiated Vicinity of: [HIN Q7293] STODDARDS NECK STATE PARK - 463 LINCOLN ST Narrative: CITATION ISSUED
- 23-11185 2217 Initiated M V STOP Verbal Warning Call Source: Initiated Vicinity of: [HIN] 291 CUSHING ST @ 5 OLD COUNTY RD Narrative: VERBAL WARNING

36
2223
911 - 911 CALL
911 Accident

Call Source:
911

Vicinity of:
[HIN Q7326] HARBOR HOUSE NURSING AND REHAB **411** 23-11186 911 Accidental Narrative: 911 HANG UP, VOICEMAIL ON THE CALL BACK Narrative: PINGED WITHIN 12 METERS Narrative: CONFIRMED ACCIDENTAL 911 - FIRE INVESTIGATION 23-11195 2336 False/ Accidental Alarm

Call Source: 911 Location/Address: [HIN] 216 HIGH ST Narrative: SMOKE DETECTOR IS BEEPING, NO SMOKE OR FIRE

Narrative:

PD NOTIFIED

Narrative:

Q1 REPORTS FAULTY CO DETECTOR. ZERO READINGS THROUGHOUT HOME. ALL COMPANIES CLEAR RETURNING