HINGHAM POLICE DEPARTMENT

Incident #: 15050496 Date: 2015-10-02 00:19:30 Type: ALARM RES

Location: 41 BAKER HILL DR Disposition: SERVICES RENDER ()

Notes:

DOOR TO GARAGE

Added by Update-and-Continue: More information to follow.

ALARM COMPANY REPORTS PROPER PASS CODE RECEIVED ATTEMPT TO CANCEL

INCIDENT CLOSED

k

Incident #: 15050503 Date: 2015-10-02 00:47:23 Type: NOTIFICATION

Location: RAYS MOBIL SERVICE INC / 193 WHITING ST Disposition: SERVICES RENDER ()

Notes:

915 REPORTS THE POWER TO THE BUILDING HAS BEEN CUT AND THE BUILDING EMPTY. THEY LOOK THEY HAVE MOVED OUT.

*

Incident #: 15050504 Date: 2015-10-02 00:53:28 Type: MV STOP

Location: MARSHALL RD Disposition: VERBAL WARNING ()

Notes:

912 OUT ON MV STOP.

SAME REPORTS CLEAR WITH A VERBAL.

*

Incident #: 15050508 Date: 2015-10-02 01:14:31 Type: OPEN DR WN

Location: HERB CHAMBERS LEXUS HINGHAM / 141 DERBY ST Disposition: APPEARS SECURE ()

915 REPORTS UNSECURED DOOR.					
UNITS WILL BE CHECKING THW BUILDING.					
SAME REPORTS BUILDING IS CLEAR AND SECURE. DOOR HAS BEEN SECURED.					

Incident #: 15050522 Date: 2015-10-02 01:56:23 Type: BUILDING CHK					
Location: SOUTH ELEMENTARY SCHOOL / 831 MAIN ST Disposition: APPEARS SECURE ()					
Notes:					
PROPERTY CHECKS.					

*					
Incident #: 15050523 Date: 2015-10-02 01:58:10 Type: BUILDING CHK					
Location: SOUTH SHORE COUNTRY CLUB / 274 SOUTH ST Disposition: APPEARS SECURE ()					
Notes:					
PROPERTY CHECKS.					
MV IN LOWER PARKING LOT.					
LIC# 495GV5					

Notes:
PROPERTY CHECKS.

Incident #: 15050526 Date: 2015-10-02 02:35:49 Type: BUILDING CHK
L L' LUNGUANA AUDRIE COURCE (AARON AANNI CT. D. L' ARREADC CECURE (A
Location: HINGHAM MIDDLE SCHOOL / 1103 MAIN ST Disposition: APPEARS SECURE ()
Notes:
Notes: PROPERTY CHECKS.
PROPERTY CHECKS.

*
Incident #: 15050527 Date: 2015-10-02 02:36:34 Type: BUILDING CHK
Tripe: 2012 10 02 02:30:31 Type: 2012 IIIX
Location: NOTRE DAME ACADEMY / 1073 MAIN ST Disposition: APPEARS SECURE ()
Notes:
PROPERTY CHECKS.

Incident #: 15050528 Date: 2015-10-02 02:46:15 Type: BUILDING CHK
Location: FOSTER ELEMENTRY SCHOOL / 55 DOWNER AV Disposition: APPEARS SECURE ()
Notes:
PROPERTY CHECKS.

Incident #: 15050532 Date: 2015-10-02 03:28:57 Type: BUILDING CHK
Location: EAST ELEMENTRY SCHOOL / 2 COLLINS ST Disposition: APPEARS SECURE ()
Notes:
PROPERTY CHECKS.

Incident #: 15050537 Date: 2015-10-02 06:04:50 Type: TREE DOWN

Location: NEWBRIDGE ST Disposition: SERVICES RENDER ()

Notes:

LARGE BRANCH ON THE RIGHT HAND LAME

CALLER REPORTS SHE THINKS THAT SOMEONE CAN MOVE IT.

TREE BRANCH REMOVED BY PD

913 REPORTS BRANCH HAS BEEN REMOVED AND WILL BE CHECKING THE AREA FOR MORE

*

Incident #: 15050546 Date: 2015-10-02 06:55:31 Type: MV STOP

Location: HINGHAM HIGH SCHOOL / 17 UNION ST Disposition: VERBAL WARNING ()

Notes:

913 OUT ON MV STOP.

SAME REPORTS CLEAR WITH VERBAL.

*

Incident #: 15050552 Date: 2015-10-02 07:15:23 Type: HAZARD SITN

Location: 1 STATION ST #G3 Disposition: SERVICES RENDER ()

Notes:

CALLER REPORTS A LARGE TREE LIMB IS HANGING OVER THE TRAIN TRACKS NEAR THE CEMETERY. CALLER IS WATCHING THIS THROUGH HIS WINDOW. IS CONCERNED BRANCH WILL FALL ON TRACKS AND CAUSE A PROBLEM. CALLER HAS CONTINUED ON WITH HIS DAY.

TRAIN WENT THROUGH WITH NO ISSUE. NO SIGN OF TREE BRANCH.

Incident #: 15050553 Date: 2015-10-02 07:24:33 Type: MV STOP

Location: HIGH ST Disposition: VERBAL WARNING ()

Notes:
913 OUT ON MV STOP.
SAME REPORTS CLEAR WITH VERBAL.
INCIDENT CLOSED
verbal warning

Incident #: 15050555 Date: 2015-10-02 08:23:34 Type: COMMTY SERV
Location: HINGHAM MIDDLE SCHOOL / 1103 MAIN ST Disposition: LOG ENTRY INFO ()

Incident #: 15050556 Date: 2015-10-02 08:28:34 Type: MVC HIT AND RUN
Location: MARTINS LN Disposition: INVESTIGATED/ R ()
Notes:
CALLER REPORTS SHE WAS REAR ENDED AND OTHER DRIVER LEFT THE SCENE COMPLAINING
OF NECK PAIN AT THIS TIME
FROM: (1) MAARTIN LN TO (2) MARTINS LN
CALLER IS AT THE BEGINING OF THE LANE
CALLER IS UNSURE OF THE VEHICLE THAT HIT HER POSSIBLY A BLACK FORD TURCK
CONTINUED ONTO MARTINS LN CALLER PULLED TO THE SIDE OF THE ROAD
POSSIBLE PLATE 3VB OR 3V8

Incident #: 15050557 Date: 2015-10-02 08:30:50 Type: PD INVEST
Location: 1 BUTTON COVE RD Disposition: INVESTIGATED/ R (Y)
Notes:
FROM: (2) 2 BUTTON COVE RD TO (2) 1 BUTTON COVE RD

Incident #: 15050560 Date: 2015-10-02 08:58:18 Type: ALARM RES

Locatio	on: 28 RAYNOR DI	R Disposition: CANCELED	BEFORE ()
Notes:			
A	ALARM COMPAN	Y REPORTS BASEMENT DOOR .	ALARM. MALE ON SITE DID NOT HAVE A PASSCODE
		-and-Continue: More informat	ion to follow.
	NCIDENT CLOSED		
F	ALARM COMPANY	Y REQUESTING CANCEL PROPE	R PASSCODE RECEIVED
*****	*******	**********	***************
Incider	nt #: 15050561	Date: 2015-10-02 09:00:52	Type: PD INVEST
Locatio	n: 88 SUMMER S	T Disposition: SERVICES	RENDER ()
Notes:			
	OUT ON A FOLLO	-	
ŀ	-ROM: (2) 8 SUMI	MER ST TO (2) 88 SUMMER ST	
*****	******	**********	***************
Incider	nt #: 15050562	Date: 2015-10-02 09:12:03	Type: PD INVEST
Locatio	m. 12 UICU ST	Disposition, CEDVICES DEM	DED ()
Locatio	on: 12 HIGH ST	Disposition: SERVICES REN	DER ()
*****	*****	******	*************
*	***************		, , , , , , , , , , , , , , , , , , ,

Incident #: 15050565 Date: 2015-10-02 09:23:56 Type: SUSP PERSON

Location: 35 BEL AIR RD Disposition: SERVICES RENDER () Notes: CALLER REPORTING A BEIGE/WHITE COLOR PICK UP TRUCK WITH RESIDENTIAL ELECTRIC ONTHE SIDE OF IT, TWO YOUNG MEN AND AN OLDER MAN IN IT, IN HER BACK YARD, SHE OPENED THE GARAGE DOOR TO SPEAK TO THEM, THEY SAID THEY ARE THERE TO PUT OIL IN HER GENERATOR, CALLER HAD NO SCHEDULED APOINTMENT AND DOES NOT PUT OIL IN HER **GENERATOR** Added by Update-and-Continue: More information to follow. TRUCK WENT DOWN THE STREET AND AROUND THE CORNER, NO FURTHER DESCRIPTION AVAIL MV LOCATED AT 43 BEL AIR RD, MISTAKE ON ADDRESS CONFIRMED WITH RESIDENT AT 43 THAT THEY WERE SUPPOSED TO BE THERE Incident #: 15050569 Date: 2015-10-02 09:47:43 Type: MEDICAL AID Location: SOUTH SHORE HOSPITAL CENTER OR / 2 POND PK RD #102 FL 1 Disposition: SERVICES RENDER (Notes: 93 YO MALE UNRESPONSIVE, BREATHING Added by Update-and-Continue: More information to follow. WILL MEET AMBULANCE IN BACK OF BLDG STA 3 UNITS ON SCENE, MED 3 CLEAR SSH P1 ON SCENE SSH P2 TO TRANSPORT WITH A DRIVER, E3 TO FOLLOW TO TAKE DRIVER BACK SSH P2 TX @ 1012 WITH E3 DRIVER Incident #: 15050570 Date: 2015-10-02 09:51:55 Type: BUILDING CHK Location: HINGHAM FEDERAL CREDIT UNION / 10 DOWNER AV Disposition: APPEARS SECURE () Incident #: 15050571 Date: 2015-10-02 09:54:01 Type: SUSP PERSON Location: BRUEGGERS BAGEL BAKERY / 211 LINCOLN ST Disposition: SERVICES RENDER ()

Notes:

CALLER REPORTS A WHITE FEMALE WITH BLUE SWEATSHIRT ON SITTING IN A CHAR BEHIND

THE DUMPSTER LOOKS OUT OF PLACE

Added by Update-and-Continue: More information to follow.

IT WAS AN EMPLOYEE TAKING A BREAK

*

Incident #: 15050572 Date: 2015-10-02 09:55:26 Type: SUSP VEHICLE

Location: 730 MAIN ST Disposition: INVESTIGATED/ R ()

Notes:

POSSIBLE STOLEN MV IN HIS DRIVEWAY, BLUE HONDA CIVIC DOORS ARE OPENED NEWSPAPER DELIVERY PERSON BROKEN DOWN, THEY WILL HAVE IT TOWED THIS AFTERNOON, NOT OBSTRUCITNG TRAFFIC OR DRIVEWAY

*

Incident #: 15050579 Date: 2015-10-02 10:18:59 Type: NOTIFICATION

ADVISED AND WORKING ON THE PROBLEM.

Location: SOUTH SHORE REGIONAL EMERGENCY COMM / 210 CENTRAL ST Disposition: LOG ENTRY INFO (

Notes:

SGT SURHANS REQ ALLCOMM TO CHECK THE RADIO SYSTEM. 322 WAS CALLING FROM THE GROVE ST AREA AND THE TRANSMISSION WAS COMPLETELY UNREADABLE AND EXTREMELY SCRATCHY. ALLCOMM ADVISED AND WORKING ON THE SITUATION.

1400 ALLCOMM INTO THE SSRECC FOR TESTING. AT 1455 LONGWATER / JUDGES / PINE RECEIVERS WENT DOWN AT THE SAME TIME. NORWELL PD UNITS ALSO STARTED TRANSMITTING ON THE FIRE RADIO AND THE POLICE RADFIO AT THE SAME TIME. ALLCOMM

FIRST ISSUE SCRATCHY UNREADABLE TRANSMISSIONS: ALLCOMM DETERMINED THAT THE LONGWATER SITE RECEIVER IS NOT VOTING PROPERLY, THE SITE HAS BEEN SWITCHED OFF UNTIL FIXED OR A NEW RECEIVER IS IN PLACE. NPD RADIOS TESTED: CRUISERS WERE LOUD AND CLEAR, PORTABLE RADIOS WERE STILL A LITTLE SCRATCHY. THE 2ND ISSUE OF NPD UNITS BLEEDING OVER TO THE NFD RADIO IS DUE TO A PHONE LINE ISSUE AT THE NEW CAROLINA HILL SITE. VERIZON HAS BEEN ADVISED THROUGH ALLCOMM TO CORRECT THE ISSUE.

*

Incident #: 15050577 Date: 2015-10-02 10:19:33 Type: BUILDING CHK

Location: RITE-AID / 100 DERBY ST Disposition: APPEARS SECURE ()

Notes:

ON WALK THROUGH

*

Incident #: 15050585 Date: 2015-10-02 10:56:09 Type: FRAUD

Location: 24 SUMMIT DR Disposition: LOG ENTRY INFO ()

Notes:

REC'D VOICEMAIL FROM IRS, RECOGNIZED IT AS A SCAM, DOES NOT WANT TO SEE AN

OFFICER

*

Incident #: 15050589 Date: 2015-10-02 11:16:02 Type: ALARM COMM

Location: BUILDING 19 / 319 LINCOLN ST Disposition: APPEARS SECURE ()

Notes:

GENERAL BURG, MESSAGE LEFT FOR KEY HOLDER

*

Incident #: 15050588 Date: 2015-10-02 11:16:07 Type: MV ERRATIC OP

Location: CUSHING ST & MAIN ST Disposition: GONE ON ARRIVAL ()

Notes:

BLACK GMC JUST TURNED ONTO CUSHING HEADING TOWARDS DERBY CROSSING THE DOUBLE

YELLOW

Added by Update-and-Continue: More information to follow.

NO REG OBTAINED

JUST COMING TO THE LIGHTS AT 53

MASS REG 2RGR10

JUST WENT STRAIGHT AT THE LIGHTS AT 53

NO LONGER CROSSING THE DOUBLE YELLOW CALLER STATED DRIVING HAS IMPROVED

HEADING TOWARDS WEYMOUTH AT THIS TIME

AT THE LIGHT AT DERBY RIGHT NOW

CALLER NO LONGER BEHIND THE VEHICLE

*

Incident #: 15050590 Date: 2015-10-02 11:18:50 Type: UTILITY NOTF

Location: 120 HOBART ST Disposition: ()

Notes:

CALLER REPORTS TREE ON THE SIDE OF THE ROAD IS READY TO BE PICKED UP BY HIGHWAY DEPT. CALLER REPORTS HIGHWAY IS AWARE OF TREE. HIGHWAY NOTIFIED WILL BE OUT FOR TREE.

*

Incident #: 15050591 Date: 2015-10-02 11:22:39 Type: ROAD RAGE

Location: CUSHING ST & DERBY ST Disposition: CANCELED BEFORE ()

Notes:

CALLER REPORTS A MALE PARTY HAS BEEN FOLLOWING HIM AND YELLING AT HIM OUT HIS WINDOW

Added by Update-and-Continue: More information to follow.

VEHICLE IS A RED JEEP NO REG AT THIS TIME

JUST AT THE DERBY ST SHOPS CALLER IS IN A STEEL GREY MERCEDES

VEHICLE JUST WENT ON RT 3

*

Incident #: 15050592 Date: 2015-10-02 11:28:19 Type: PROPERTY FOUND

Location: LAMB, JOHN J INSURANCE / 24 NORTH ST Disposition: SERVICES RENDER (Y)

Notes:

CALLER REPORTS FINDING A WALLET IN THE ALLEY BY HER OFFICE, ASKING FOR AN OFFICER TO COME PICK IT UP

*

Incident #: 15050593 Type: PARKING ENFORCE Date: 2015-10-02 11:33:53 Location: 919 MAIN ST Disposition: SERVICES RENDER () Notes: MV IS BEING MOVED Incident #: 15050595 Date: 2015-10-02 11:42:30 Type: DPW Location: GARDNER ST & WHITING ST Disposition: SERVICES RENDER () Notes: NOTIFY DPW CAUTION SIGN HAS BEEN KNOCKED DOWN ON ISLAND **DPW NOTIFIED** Incident #: 15050597 Date: 2015-10-02 12:20:42 Type: TRAFFIC HAZ Location: NOTRE DAME ACADEMY / 1073 MAIN ST Disposition: SERVICES RENDER () Notes: ASSISTING WITH TRAFFIC, MOVED AS MANY CARS AS HE COULD INTO THE CHURCH PARKING LOT, IF THE PROBLEM CONTINUES A DETAIL OFFICER WILL BE NEEDED Incident #: 15050599 Date: 2015-10-02 12:45:18 Type: PROPERTY FOUND Location: HULL POLICE DEPARTMENT Disposition: LOG ENTRY INFO () Notes: BRINGING A FOUND WALLET TO HULL POLICE HQ SEE CAD 15017899

Incident #: 15050602 Date: 2015-10-02 13:23:00 Type: BUILDING CHK
Location: BANK OF AMERICA / 95 SGT WM B TERRY DR Disposition: APPEARS SECURE ()

Incident #: 15050603 Date: 2015-10-02 13:23:30 Type: BUILDING CHK
Location: ROCKLAND TRUST COMPANY / 100 SGT WM B TERRY DR Disposition: APPEARS SECURE ()

Incident #: 15050605 Date: 2015-10-02 13:40:45 Type: FRAUD
Location: 19 FRANKLIN RODGERS RD Disposition: LOG ENTRY INFO ()
Notes:
CALLER REPORTS RECEIVING A CALL FROM FEMALE STATING SHE WAS WITH THE IRS.
MESSAGE WAS LEFT ON VOICE MAIL. NUMBER TOLD TO CALL BACK WAS
CALLER DOES NOT NEED TO SPEAK TO AN OFFICER WOULD JUST LIKE THE INFORMATION
LOGGED

Incident #: 15050606 Date: 2015-10-02 13:59:45 Type: MV STOP
Location: 1 WHITING ST Disposition: VERBAL WARNING ()
Location: 1 WHITING ST Disposition: VERBAL WARNING ()

Incident #: 15050608 Date: 2015-10-02 14:02:04 Type: PROPERTY FOUND Location: EXPRESS PETROLEUM / 194 WHITING ST Disposition: INVESTIGATED/ R (Y) Notes: **MONEY** Incident #: 15050610 Date: 2015-10-02 14:16:57 Type: TREE DOWN Location: CHIEF JUSTICE CUSHING HWY & WINDJAMMER WY Disposition: SERVICES RENDER () Notes: CALLER REPORTS TREE IS ON THE WIRES AT THIS LOCATION. CALLER IS MBTA BUS DRIVER. DID NOT REMAIN ON SCENE 912 RPTS TREE ON WIRES IN ROADWAY, REQUESTS HINGHAM LIGHT ASAP, 916 TO ASSIST WITH TRAFFIC 912 BLOCKING NB RT. 3A NORTHBOUND AT SUMMER ST, REDIRECT DOWN SUMMER 916 BLOCK ROTARY HINGHAM LIGHT ADVISED TRANSPORTATION NOTIFIED E2 REMAINING ON SCENE FOR THE LIGHT DEPARTMENT, IN SERVICE FROM THE SCENE HINGHAM LIGHT ON SCENE IMC#15-166-AC Incident #: 15050612 Date: 2015-10-02 14:34:25 Type: MV STOP Location: HINGHAM ROTARY / SUMMER ST Disposition: CITATION ISSUED () Notes: WILL BE RECEIVING CITATION IN THE MAIL

Type: MV STOP

Location: MARGETTS FIELD / 210 WARD ST Disposition: CITATION ISSUED ()

Incident #: 15050614 Date: 2015-10-02 14:53:53

Notes: **CLEAR CITATION** Incident #: 15050616 Date: 2015-10-02 15:23:28 Type: BUILDING CHK Location: NATIONAL GUARD VEHICLE DEPOT / 25 FORT HILL ST Disposition: APPEARS SECURE () Notes: PROPERTY CHECK CHECK SECURE. 2 VEHICLES HAD THEIR WINDOW'S DOWN Incident #: 15050617 Date: 2015-10-02 15:35:09 Type: FALARM COMM Location: HART SUPPLY CO. / 50 POND PK RD Disposition: LOG ENTRY INFO () Notes: **GENERAL FIRE** E3 HAS COMMAND, CODE C E4 E3 INVESTIGATING A BROKEN PIPE BACK CB CORNER OF BUILDING E3 CONFIRMS BROKEN PIPE, CANCEL E4, REQ WIRING INSP WI BENNETT NOTIFIED AND EN ROUTE, ETA 15M WATER TO BUILDING SECURED, RELEASING MED3, E3 STANDING BY AWAITING WI WI ON SCENE ALL HAZARDS MITIGATED BY WI, E3 CLEAR ********************************** Incident #: 15050619 Date: 2015-10-02 16:16:55 Type: ANIMAL CALL Location: HERSEY ST Disposition: LOG ENTRY INFO () Notes: CALLER REPORTS SEEING A COYOTE NEAR THE PUBLIC WORKS BUILDING, NOT NEAR PEOPLE

NOT ACTING ODDLY, WENT INTO THE YARD BEFORE THE PUBLIC WORKS BUILDING

Incident #: 15050621 Date: 2015-10-02 16:33:22 Type: ELEC PROB OUTS

Location: 269 HIGH ST Disposition: LOG ENTRY INFO ()

Notes:

CALLER HEARD A LOUD BANG OUTSIDE, HER KIDS SAW SPARKS BUT NOT SURE FROM WHERE

Added by Update-and-Continue: More information to follow.

CALLER HAS POWER

E3 ON SCENE INVESTIGATING

E3 CLEARING, NO HAZARDS FOUND

96 RIDGEWOOD CROSSING

*

Incident #: 15050622 Date: 2015-10-02 16:33:29 Type: POWER OUTAGE

Location: 14 WHITING LN Disposition: LOG ENTRY INFO ()

Notes:

CALLER REPORTS POWER APPEARS TO BE OUT IN THE ENTIRE COMPLEX

Added by Update-and-Continue: More information to follow.

FROM: (2) 14 WHTIING LN TO (2) 14 WHITING LN

E3 ADVISED

913 ADVISED

INCIDENT CLOSED

THE QUARRY 415 WHITING ST

*

Incident #: 15050623 Date: 2015-10-02 16:34:43 Type: ALARM COMM

Location: WHOLE FOODS / 94 DERBY ST #ST 200 Disposition: ACCID/DEFECT/BU ()

Notes:

Added by Update-and-Continue: More information to follow.

ALARM COMPANY REPORTS A COMMERCIAL BURG ALARM FOR THE LOCATION. INTERIOR SAFE

ROOM.

POWER OUTAGE

Incident #: 15050624 Date: 2015-10-02 16:36:28 Type: FIRE INVEST Location: HERSEY ST Disposition: () Notes: PD REPORTED BEING FLAGGED DOWN ABOUT A POSSIBLE TRANSFORMER FIRE ON THE STREET UNNKOWN LOCATION Added by Update-and-Continue: More information to follow. E4 REPORTS DROVE HERSEY SST, NOTHING SHOWING * Incident #: 15050625 Date: 2015-10-02 16:37:07 Type: TRAFFIC HAZ Location: CUSHING ST & WHITING ST Disposition: LOG ENTRY INFO () Notes: CALLER REPORTS THE TRAFFIC LIGHTS ARE OUT AT THIS LCOATION INCIDENT CLOSED POWER OUTAGE IN THE AREA * Incident #: 15050626 Date: 2015-10-02 16:37:35 Type: POWER OUTAGE Location: DERBY SHOPS / 100 DERBY SHOPPES RD W Disposition: DUPLICATE CALL () Notes: CALLER REPORTS HALF THE COMPLEX IS OUT Added by Update-and-Continue: More information to follow. INCIDENT CLOSED PILGRIM SKATING ARENA 236 WARD ST OLD COUNTY RD	**************************************
Notes: PD REPORTED BEING FLAGGED DOWN ABOUT A POSSIBLE TRANSFORMER FIRE ON THE STREET UNNKOWN LOCATION Added by Update-and-Continue: More information to follow. E4 REPORTS DROVE HERSEY SST, NOTHING SHOWING * Incident #: 15050625 Date: 2015-10-02 16:37:07 Type: TRAFFIC HAZ Location: CUSHING ST & WHITING ST Disposition: LOG ENTRY INFO () Notes: CALLER REPORTS THE TRAFFIC LIGHTS ARE OUT AT THIS LCOATION INCIDENT CLOSED POWER OUTAGE IN THE AREA * Incident #: 15050626 Date: 2015-10-02 16:37:35 Type: POWER OUTAGE Location: DERBY SHOPS / 100 DERBY SHOPPES RD W Disposition: DUPLICATE CALL () Notes: CALLER REPORTS HALF THE COMPLEX IS OUT Added by Update-and-Continue: More information to follow. INCIDENT CLOSED PILGRIM SKATING ARENA 236 WARD ST OLD COUNTY RD	
Notes: PD REPORTED BEING FLAGGED DOWN ABOUT A POSSIBLE TRANSFORMER FIRE ON THE STREET UNNKOWN LOCATION Added by Update-and-Continue: More information to follow. E4 REPORTS DROVE HERSEY SST, NOTHING SHOWING * Incident #: 15050625 Date: 2015-10-02 16:37:07 Type: TRAFFIC HAZ Location: CUSHING ST & WHITING ST Disposition: LOG ENTRY INFO () Notes: CALLER REPORTS THE TRAFFIC LIGHTS ARE OUT AT THIS LCOATION INCIDENT CLOSED POWER OUTAGE IN THE AREA * Incident #: 15050626 Date: 2015-10-02 16:37:35 Type: POWER OUTAGE Location: DERBY SHOPS / 100 DERBY SHOPPES RD W Disposition: DUPLICATE CALL () Notes: CALLER REPORTS HALF THE COMPLEX IS OUT Added by Update-and-Continue: More information to follow. INCIDENT CLOSED PILGRIM SKATING ARENA 236 WARD ST OLD COUNTY RD	Incident #: 15050624 Date: 2015-10-02 16:36:28 Type: FIRE INVEST
Notes: PD REPORTED BEING FLAGGED DOWN ABOUT A POSSIBLE TRANSFORMER FIRE ON THE STREET UNNKOWN LOCATION Added by Update-and-Continue: More information to follow. E4 REPORTS DROVE HERSEY SST, NOTHING SHOWING * Incident #: 15050625 Date: 2015-10-02 16:37:07 Type: TRAFFIC HAZ Location: CUSHING ST & WHITING ST Disposition: LOG ENTRY INFO () Notes: CALLER REPORTS THE TRAFFIC LIGHTS ARE OUT AT THIS LCOATION INCIDENT CLOSED POWER OUTAGE IN THE AREA * Incident #: 15050626 Date: 2015-10-02 16:37:35 Type: POWER OUTAGE Location: DERBY SHOPS / 100 DERBY SHOPPES RD W Disposition: DUPLICATE CALL () Notes: CALLER REPORTS HALF THE COMPLEX IS OUT Added by Update-and-Continue: More information to follow. INCIDENT CLOSED PILGRIM SKATING ARENA 236 WARD ST OLD COUNTY RD	
PD REPORTED BEING FLAGGED DOWN ABOUT A POSSIBLE TRANSFORMER FIRE ON THE STREET UNNKOWN LOCATION Added by Update-and-Continue: More information to follow. E4 REPORTS DROVE HERSEY SST, NOTHING SHOWING * Incident #: 15050625 Date: 2015-10-02 16:37:07 Type: TRAFFIC HAZ Location: CUSHING ST & WHITING ST Disposition: LOG ENTRY INFO () Notes: CALLER REPORTS THE TRAFFIC LIGHTS ARE OUT AT THIS LCOATION INCIDENT CLOSED POWER OUTAGE IN THE AREA * Incident #: 15050626 Date: 2015-10-02 16:37:35 Type: POWER OUTAGE Location: DERBY SHOPS / 100 DERBY SHOPPES RD W Disposition: DUPLICATE CALL () Notes: CALLER REPORTS HALF THE COMPLEX IS OUT Added by Update-and-Continue: More information to follow. INCIDENT CLOSED PILGRIM SKATING ARENA 236 WARD ST OLD COUNTY RD	Location: HERSEY ST Disposition: ()
PD REPORTED BEING FLAGGED DOWN ABOUT A POSSIBLE TRANSFORMER FIRE ON THE STREET UNNKOWN LOCATION Added by Update-and-Continue: More information to follow. E4 REPORTS DROVE HERSEY SST, NOTHING SHOWING * Incident #: 15050625 Date: 2015-10-02 16:37:07 Type: TRAFFIC HAZ Location: CUSHING ST & WHITING ST Disposition: LOG ENTRY INFO () Notes: CALLER REPORTS THE TRAFFIC LIGHTS ARE OUT AT THIS LCOATION INCIDENT CLOSED POWER OUTAGE IN THE AREA * Incident #: 15050626 Date: 2015-10-02 16:37:35 Type: POWER OUTAGE Location: DERBY SHOPS / 100 DERBY SHOPPES RD W Disposition: DUPLICATE CALL () Notes: CALLER REPORTS HALF THE COMPLEX IS OUT Added by Update-and-Continue: More information to follow. INCIDENT CLOSED PILGRIM SKATING ARENA 236 WARD ST OLD COUNTY RD	
UNNKOWN LOCATION Added by Update-and-Continue: More information to follow. E4 REPORTS DROVE HERSEY SST, NOTHING SHOWING *** Incident #: 15050625 Date: 2015-10-02 16:37:07 Type: TRAFFIC HAZ Location: CUSHING ST & WHITING ST Disposition: LOG ENTRY INFO () Notes: CALLER REPORTS THE TRAFFIC LIGHTS ARE OUT AT THIS LCOATION INCIDENT CLOSED POWER OUTAGE IN THE AREA ** Incident #: 15050626 Date: 2015-10-02 16:37:35 Type: POWER OUTAGE Location: DERBY SHOPS / 100 DERBY SHOPPES RD W Disposition: DUPLICATE CALL () Notes: CALLER REPORTS HALF THE COMPLEX IS OUT Added by Update-and-Continue: More information to follow. INCIDENT CLOSED PILGRIM SKATING ARENA 236 WARD ST OLD COUNTY RD	
Added by Update-and-Continue: More information to follow. E4 REPORTS DROVE HERSEY SST, NOTHING SHOWING * Incident #: 15050625 Date: 2015-10-02 16:37:07 Type: TRAFFIC HAZ Location: CUSHING ST & WHITING ST Disposition: LOG ENTRY INFO () Notes: CALLER REPORTS THE TRAFFIC LIGHTS ARE OUT AT THIS LCOATION INCIDENT CLOSED POWER OUTAGE IN THE AREA * Incident #: 15050626 Date: 2015-10-02 16:37:35 Type: POWER OUTAGE Location: DERBY SHOPS / 100 DERBY SHOPPES RD W Disposition: DUPLICATE CALL () Notes: CALLER REPORTS HALF THE COMPLEX IS OUT Added by Update-and-Continue: More information to follow. INCIDENT CLOSED PILGRIM SKATING ARENA 236 WARD ST OLD COUNTY RD	
** Incident #: 15050625 Date: 2015-10-02 16:37:07 Type: TRAFFIC HAZ Location: CUSHING ST & WHITING ST Disposition: LOG ENTRY INFO () Notes: CALLER REPORTS THE TRAFFIC LIGHTS ARE OUT AT THIS LCOATION INCIDENT CLOSED POWER OUTAGE IN THE AREA ** Incident #: 15050626 Date: 2015-10-02 16:37:35 Type: POWER OUTAGE Location: DERBY SHOPS / 100 DERBY SHOPPES RD W Disposition: DUPLICATE CALL () Notes: CALLER REPORTS HALF THE COMPLEX IS OUT Added by Update-and-Continue: More information to follow. INCIDENT CLOSED PILGRIM SKATING ARENA 236 WARD ST OLD COUNTY RD	
Incident #: 15050625 Date: 2015-10-02 16:37:07 Type: TRAFFIC HAZ Location: CUSHING ST & WHITING ST Disposition: LOG ENTRY INFO () Notes: CALLER REPORTS THE TRAFFIC LIGHTS ARE OUT AT THIS LCOATION INCIDENT CLOSED POWER OUTAGE IN THE AREA * Incident #: 15050626 Date: 2015-10-02 16:37:35 Type: POWER OUTAGE Location: DERBY SHOPS / 100 DERBY SHOPPES RD W Disposition: DUPLICATE CALL () Notes: CALLER REPORTS HALF THE COMPLEX IS OUT Added by Update-and-Continue: More information to follow. INCIDENT CLOSED PILGRIM SKATING ARENA 236 WARD ST OLD COUNTY RD	
Incident #: 15050625 Date: 2015-10-02 16:37:07 Type: TRAFFIC HAZ Location: CUSHING ST & WHITING ST Disposition: LOG ENTRY INFO () Notes: CALLER REPORTS THE TRAFFIC LIGHTS ARE OUT AT THIS LCOATION INCIDENT CLOSED POWER OUTAGE IN THE AREA ******** Incident #: 15050626 Date: 2015-10-02 16:37:35 Type: POWER OUTAGE Location: DERBY SHOPS / 100 DERBY SHOPPES RD W Disposition: DUPLICATE CALL () Notes: CALLER REPORTS HALF THE COMPLEX IS OUT Added by Update-and-Continue: More information to follow. INCIDENT CLOSED PILGRIM SKATING ARENA 236 WARD ST OLD COUNTY RD	E4 REPORTS DROVE HERSEY SST, NOTHING SHOWING
Location: CUSHING ST & WHITING ST Disposition: LOG ENTRY INFO () Notes: CALLER REPORTS THE TRAFFIC LIGHTS ARE OUT AT THIS LCOATION INCIDENT CLOSED POWER OUTAGE IN THE AREA *** Incident #: 15050626 Date: 2015-10-02 16:37:35 Type: POWER OUTAGE Location: DERBY SHOPS / 100 DERBY SHOPPES RD W Disposition: DUPLICATE CALL () Notes: CALLER REPORTS HALF THE COMPLEX IS OUT Added by Update-and-Continue: More information to follow. INCIDENT CLOSED PILGRIM SKATING ARENA 236 WARD ST OLD COUNTY RD	*******************************
Location: CUSHING ST & WHITING ST Disposition: LOG ENTRY INFO () Notes: CALLER REPORTS THE TRAFFIC LIGHTS ARE OUT AT THIS LCOATION INCIDENT CLOSED POWER OUTAGE IN THE AREA *** Incident #: 15050626 Date: 2015-10-02 16:37:35 Type: POWER OUTAGE Location: DERBY SHOPS / 100 DERBY SHOPPES RD W Disposition: DUPLICATE CALL () Notes: CALLER REPORTS HALF THE COMPLEX IS OUT Added by Update-and-Continue: More information to follow. INCIDENT CLOSED PILGRIM SKATING ARENA 236 WARD ST OLD COUNTY RD	*
Location: CUSHING ST & WHITING ST Disposition: LOG ENTRY INFO () Notes: CALLER REPORTS THE TRAFFIC LIGHTS ARE OUT AT THIS LCOATION INCIDENT CLOSED POWER OUTAGE IN THE AREA *** Incident #: 15050626 Date: 2015-10-02 16:37:35 Type: POWER OUTAGE Location: DERBY SHOPS / 100 DERBY SHOPPES RD W Disposition: DUPLICATE CALL () Notes: CALLER REPORTS HALF THE COMPLEX IS OUT Added by Update-and-Continue: More information to follow. INCIDENT CLOSED PILGRIM SKATING ARENA 236 WARD ST OLD COUNTY RD	
Location: CUSHING ST & WHITING ST Disposition: LOG ENTRY INFO () Notes: CALLER REPORTS THE TRAFFIC LIGHTS ARE OUT AT THIS LCOATION INCIDENT CLOSED POWER OUTAGE IN THE AREA *** Incident #: 15050626 Date: 2015-10-02 16:37:35 Type: POWER OUTAGE Location: DERBY SHOPS / 100 DERBY SHOPPES RD W Disposition: DUPLICATE CALL () Notes: CALLER REPORTS HALF THE COMPLEX IS OUT Added by Update-and-Continue: More information to follow. INCIDENT CLOSED PILGRIM SKATING ARENA 236 WARD ST OLD COUNTY RD	Incident #: 15050625 Date: 2015-10-02 16:37:07 Type: TRAFFIC HA7
Notes: CALLER REPORTS THE TRAFFIC LIGHTS ARE OUT AT THIS LCOATION INCIDENT CLOSED POWER OUTAGE IN THE AREA ****** Incident #: 15050626 Date: 2015-10-02 16:37:35 Type: POWER OUTAGE Location: DERBY SHOPS / 100 DERBY SHOPPES RD W Disposition: DUPLICATE CALL () Notes: CALLER REPORTS HALF THE COMPLEX IS OUT Added by Update-and-Continue: More information to follow. INCIDENT CLOSED PILGRIM SKATING ARENA 236 WARD ST OLD COUNTY RD	The deficient in 1999 of the state of the st
Notes: CALLER REPORTS THE TRAFFIC LIGHTS ARE OUT AT THIS LCOATION INCIDENT CLOSED POWER OUTAGE IN THE AREA **** Incident #: 15050626 Date: 2015-10-02 16:37:35 Type: POWER OUTAGE Location: DERBY SHOPS / 100 DERBY SHOPPES RD W Disposition: DUPLICATE CALL () Notes: CALLER REPORTS HALF THE COMPLEX IS OUT Added by Update-and-Continue: More information to follow. INCIDENT CLOSED PILGRIM SKATING ARENA 236 WARD ST OLD COUNTY RD	Location: CUSHING ST & WHITING ST Disposition: LOG ENTRY INFO ()
CALLER REPORTS THE TRAFFIC LIGHTS ARE OUT AT THIS LCOATION INCIDENT CLOSED POWER OUTAGE IN THE AREA **********************************	
INCIDENT CLOSED POWER OUTAGE IN THE AREA **********************************	Notes:
POWER OUTAGE IN THE AREA **********************************	CALLER REPORTS THE TRAFFIC LIGHTS ARE OUT AT THIS LCOATION
**************************************	INCIDENT CLOSED
Incident #: 15050626 Date: 2015-10-02 16:37:35 Type: POWER OUTAGE Location: DERBY SHOPS / 100 DERBY SHOPPES RD W Disposition: DUPLICATE CALL () Notes: CALLER REPORTS HALF THE COMPLEX IS OUT Added by Update-and-Continue: More information to follow. INCIDENT CLOSED PILGRIM SKATING ARENA 236 WARD ST OLD COUNTY RD	POWER OUTAGE IN THE AREA
Incident #: 15050626 Date: 2015-10-02 16:37:35 Type: POWER OUTAGE Location: DERBY SHOPS / 100 DERBY SHOPPES RD W Disposition: DUPLICATE CALL () Notes: CALLER REPORTS HALF THE COMPLEX IS OUT Added by Update-and-Continue: More information to follow. INCIDENT CLOSED PILGRIM SKATING ARENA 236 WARD ST OLD COUNTY RD	
Location: DERBY SHOPS / 100 DERBY SHOPPES RD W Disposition: DUPLICATE CALL () Notes: CALLER REPORTS HALF THE COMPLEX IS OUT Added by Update-and-Continue: More information to follow. INCIDENT CLOSED PILGRIM SKATING ARENA 236 WARD ST OLD COUNTY RD	
Location: DERBY SHOPS / 100 DERBY SHOPPES RD W Disposition: DUPLICATE CALL () Notes: CALLER REPORTS HALF THE COMPLEX IS OUT Added by Update-and-Continue: More information to follow. INCIDENT CLOSED PILGRIM SKATING ARENA 236 WARD ST OLD COUNTY RD	
Notes: CALLER REPORTS HALF THE COMPLEX IS OUT Added by Update-and-Continue: More information to follow. INCIDENT CLOSED PILGRIM SKATING ARENA 236 WARD ST OLD COUNTY RD	Incident #: 15050626 Date: 2015-10-02 16:37:35 Type: POWER OUTAGE
Notes: CALLER REPORTS HALF THE COMPLEX IS OUT Added by Update-and-Continue: More information to follow. INCIDENT CLOSED PILGRIM SKATING ARENA 236 WARD ST OLD COUNTY RD	· ·
CALLER REPORTS HALF THE COMPLEX IS OUT Added by Update-and-Continue: More information to follow. INCIDENT CLOSED PILGRIM SKATING ARENA 236 WARD ST OLD COUNTY RD	Location: DERBY SHOPS / 100 DERBY SHOPPES RD W Disposition: DUPLICATE CALL ()
CALLER REPORTS HALF THE COMPLEX IS OUT Added by Update-and-Continue: More information to follow. INCIDENT CLOSED PILGRIM SKATING ARENA 236 WARD ST OLD COUNTY RD	
Added by Update-and-Continue: More information to follow. INCIDENT CLOSED PILGRIM SKATING ARENA 236 WARD ST OLD COUNTY RD ***********************************	
INCIDENT CLOSED PILGRIM SKATING ARENA 236 WARD ST OLD COUNTY RD ***********************************	
PILGRIM SKATING ARENA 236 WARD ST OLD COUNTY RD ***********************************	
236 WARD ST OLD COUNTY RD ***********************************	
OLD COUNTY RD ***********************************	PILGRIM SKATING ARENA
OLD COUNTY RD ***********************************	
*****************************	236 WARD ST
*****************************	OLD COUNTY DD
	OLD COUNTY RD

	*

Incident #: 15050627 Date: 2015-10-02 16:40:46 Type: POWER OUTAGE

Location: 4 PURITAN RD Disposition: LOG ENTRY INFO ()

Notes:

CALLER REPORTS POWER IS OUT

PD ADVISED

INCIDENT CLOSED

k

Incident #: 15050628 Date: 2015-10-02 16:42:44 Type: POWER OUTAGE

Location: 236 WARD ST Disposition: LOG ENTRY INFO ()

Notes:

INCIDENT CLOSED

*

Incident #: 15050629 Date: 2015-10-02 16:43:52 Type: POWER OUTAGE

Location: 35 WOODLOCK RD Disposition: LOG ENTRY INFO ()

Notes:

INCIDENT CLOSED

k

Incident #: 15050630 Date: 2015-10-02 16:47:35 Type: 911 ABANDONED

Location: 185 WHITING ST Disposition: 911 ACCIDENTAL ()

Notes:

911 ABANDONED PINGING IN THIS AREA, ON CALL BACK

Added by Update-and-Continue: More information to follow.

CALL BACK WENT STRAIGHT TO VOICEMAIL

SECOND CALL RANG AND WENT TO VOICEMAIL

Incident #: 15050631 Date: 2015-10-02 16:50:40 Type: TRAFFIC HAZ
Location: CUSHING ST & WHITING ST Disposition: LOG ENTRY INFO ()
Notes:
CALLER REPORTING TRAFFIC IS GETTING BAD DUE TO THE LIGHTS NOT WORKING
INTERSECTOIN CLEARED UNIT CLEAR LIGHT IS A PRIORITY TO HAVE RESET ONCE POWER IS
RESTORED
911 CALLER REPORTING SAME,

*
Incident #: 15050632 Date: 2015-10-02 16:53:10 Type: POWER OUTAGE
Location: 36 WOODLOCK RD Disposition: LOG ENTRY INFO ()
Notes:
POWER OUTAGE IN THE AREA

Incident #: 15050634 Date: 2015-10-02 17:09:15 Type: POWER OUTAGE
Location: QUEEN ANNE NURSING HOME / 50 RECREATION PK DR Disposition: LOG ENTRY INFO ()
Notes:
CALLER REPORTS POWER OUTAGE AT THE FACILITY, THEY ARE ALL SET FOR THE MOMENT,
ON GENERATOR POWER

Incident #: 15050635 Date: 2015-10-02 17:13:58 Type: ALARM COMM
Location: HINGHAM LIGHT DEPARTMENT GARAG / 308 CUSHING ST Disposition: ACCID/DEFECT/BU ()
Notes:

REAR OVERHEAD AND PASS DOORS Added by Update-and-Continue: More information to follow. ALARM CO GOT GOOD PASSCODE, THEY LOST POWER Incident #: 15050636 Date: 2015-10-02 17:17:17 Type: MV STOP Location: HIGH ST & TOWER RD Disposition: VERBAL WARNING () Notes: **CLEAR VERBAL** Incident #: 15050637 Date: 2015-10-02 17:26:18 Type: MV STOP Location: 590 MAIN ST Disposition: CITATION ISSUED () Notes: **CLEAR CITATION** Incident #: 15050638 Date: 2015-10-02 17:28:38 Type: SUSP PERSON Location: RITE-AID / 184 LINCOLN ST Disposition: UNFOUNDED () Notes: CALLER REPORTS MALE AND FEMALE MALE WITH BIG COAT AND CRUTCHES AND FEMALE WITH A JACKET BY THE DUMPSTER. SAME STATES THEY LOOK OUT OF PLACE AREA SEARCH NEGATIVE GOA Incident #: 15050640 Date: 2015-10-02 17:30:05 Type: MVC HIT AND RUN Location: 18 SHIPYARD DR #C Disposition: INVESTIGATED/R()

Notes:

CALLER REPORTS AT 3:45PM WHILE SHE WAS AT THE BANK OF AMERICA ACROSS THE STREET

SOMEONE BACKED INTO HER VEHICLE AND TOOK OFF. MA REG 9GZ940. DAMAGE TO BUMPER.

CALLER WOULD LIKE TO SEE OFFICER FOR A REPORT

Added by Update-and-Continue: More information to follow.

BUSINESS IS PURE BARRE

REQUEST FOR POLICE: PATROL VOIDED

REQUEST FOR FIRE/RESCUE: AMBULANCE VOIDED

REQUEST FOR FIRE/RESCUE: ENGINE VOIDED

Incident #: 15050641 Date: 2015-10-02 17:35:57 Type: WIRES CALL

Location: HIGH ST Disposition: LOG ENTRY INFO ()

Notes:

CALLER REPORTS A PHONE POLE LEANING AND SPARKING ON HIGH ST HEADING TWDS MAIN

ST ON THE RIGHT HAND SIDE

Added by Update-and-Continue: More information to follow.

CALLER DOES NOT KNOW EXACTLY WHERE, SHE DIDNT WANT TO GO NEAR IT. CALLER NO

LONGER IN THE AREA

918 OFF WITH LIGHT DEPT FOR TRAFFIC

HINGHAM LIGHT WORKING AT 284 MAIN ST, THEY WERE NOTIFIED

Incident #: 15050642 Date: 2015-10-02 17:54:59 Type: WIRES CALL

Location: 9 UNION ST Disposition: SERVICES RENDER ()

Notes:

CALELR REPORTS A TREE TOOK A WIRE DOWN, WIRE IS IN THE STREET

FROM: (2) 10 UNION ST TO (2) 9 UNION ST

C3 REQ LIGHT COMPANY

HINGHAM LIGHT ANSWERING SERVICE WILL PAGE OUT, WILL GET A CALL BACK WITH AN ETA

MAIN BREAKER SHUT OFF, HOMEOWNER AWARE WILL AWAIT LIGHT CO

LIGHT COMPANY ON SCENE, WIRE TO A RESIDENCE.

E4 REPORTS LIGHT CO REP ON SCENE

*

Incident #: 15050644 Date: 2015-10-02 18:11:25 Type: FRAUD Location: 19 FRANKLIN RODGERS RD Disposition: LOG ENTRY INFO () Notes: CALL FROMCLAIMING TO BE THE IRS **INCIDENT CLOSED** Incident #: 15050645 Date: 2015-10-02 18:20:17 Type: PD INVEST Location: 2903 HOCKLEY DR Disposition: LOG ENTRY INFO () Notes: FOLLOW UP RE CAD#15050640 Incident #: 15050651 Date: 2015-10-02 19:07:33 Type: MV STOP Location: FIRESTONE TIRE / 22 WHITING ST Disposition: VERBAL WARNING () Notes: **CLEAR VERBAL** Incident #: 15050652 Date: 2015-10-02 19:22:05 Type: GAS OUTSIDE

Location: CUSHING ST & MAIN ST Disposition: LOG ENTRY INFO ()

Notes:

CALLER REPORTS THE STRONG ODOR OF GAS, GAS COMPANY WAS WORKING HERE YESTERDAY AND TODAY, IT IS VERY STRONG AT THIS TIME PER CALLER CONFIRMED ODOR, WHERE NATIONAL GRID IS DRILLING TEST HOLE, CLEARING NO HAZARDS

Τ.

Incident #: 15050654 Date: 2015-10-02 19:28:31 Type: BUILDING CHK

Location: CVS PHARMACY / 405 LINCOLN ST Disposition: LOG ENTRY INFO ()
Notes:
OUT ON A WALKTHROUGH

Incident #: 15050655 Date: 2015-10-02 19:30:58 Type: ALARM RES
Location: 8 BREWER WY Disposition: APPEARS SECURE ()
Notes:
FAMILY ROOM MOTION
Added by Update-and-Continue: More information to follow.
RESIDENT IS NOT ON SITE, REQUESTS DISPATCH
CONFIRMED ACCIDENTAL BY HOMEOWNER

Incident #: 15050656 Date: 2015-10-02 19:40:09 Type: BUILDING CHK
Location: RITE-AID / 100 DERBY ST Disposition: LOG ENTRY INFO ()
Notes:
OUT ON A WALKTHROUGH

*
Incident #: 15050657 Date: 2015-10-02 19:41:36 Type: ALARM COMM
Location: TRYST STUDIO / 29 MAIN ST Disposition: CANCELED BEFORE ()
Notes:
SIDE LOADING DOCK DOOR
Added by Update-and-Continue: More information to follow.
NO KEYHOLDER YET
REQUEST TO CANCEL PROPER PASSCODE
REQUEST FOR POLICE: PATROL VOIDED

Incident #: 15050658 Date: 2015-10-02 19:43:03 Type: SUSP ACTIVITY

Location: 225 SUMMER ST Disposition: LOG ENTRY INFO ()

Notes:

OUT ON SP ACTIVITY

*

Incident #: 15050659 Date: 2015-10-02 19:45:25 Type: MV STOP

Location: MAIN ST & TOWERBROOK RD Disposition: CITATION ISSUED ()

Notes:

CLEAR CITATION

*

Incident #: 15050660 Date: 2015-10-02 19:49:09 Type: MV ERRATIC OP

Location: FORT HILL ST Disposition: ARREST (Y)

Notes:

16SF06 WHITE CRV HEADING INTO HINGHAM FROM WEYMOUTH

Added by Update-and-Continue: More information to follow.

COMING UP ON SOUTH SHORE COUNTRY CLUB, CALLER IS INA GREY VOLVO

HIT A CURB

LIGHT BY THE TRACKS

TAKING A RIGHT AT THE STOP SIGN ONTO NORTH ST

TOWARD THE SQUARE

COMING UP TO TEDESCHIS

SWERVING OVER THE LINE

LEFT ONTO THAXTER ST

TOWARDS LINCOLN

TWO WHEELS OVER THE YELLOW NOW

CREST OF THE HILL ON THAXTER

INTERSECTION OF LINCOLN ST NOW

ON DOWNER NOW

LEFT OPPOSITE THE FOSTER SCHOOL

PLANTERS FIFLD LANE

DRIVER IS DOING OK AT THIS MOMENT

912 CONDUCTING TESTS AT THIS TIME

906 REPORTS 912 HAS ONE IN CUSTODY REQUESTING THOMAS

912 ENROUTE WITH 1 STARTIING MIL 19671.3

912 REPORTS FROM OCEAN VIEW TO PARK CIR FEMALE FAILED TO STOP

THOMAS ENROUTE

912 OFF AT THE STATION ENDING MIL 19673.9

Arrested:

Name: MACGREGOR BARIS , JILL Age: 61

Address: 19 HIGHVIEW DR HINGHAM , MA

Charges: OUI LIQUOR, 2ND OFFENSE c90 S24 STOP FOR POLICE, FAIL c90 S25

LICENSE RESTRICTION, OPERATE MV IN VIOL c90 S10

MARKED LANES VIOLATION c89 S4A

Incident #: 15050661 Date: 2015-10-02 19:51:50 Type: MV DISABLED

Location: HINGHAM ROTARY / SUMMER ST Disposition: LOG ENTRY INFO ()

Notes:

CALLER REPORTS A COUPLE MALES WITH A TRUCK AND TRAILER BROKEN DOWN AT THE

ROTARY

Added by Update-and-Continue: More information to follow.

VERY DARK AND NO LIGHTS, DIFFICULT TO SEE

Incident #: 15050662 Date: 2015-10-02 19:55:18 Type: 911 ABANDONED

Location: 89 HERSEY ST Disposition: 911 ACCIDENTAL ()

Notes:

NO ANSWER ON CALL BACK

Added by Update-and-Continue: More information to follow.

CALLER STATED ACCIDENTAL

REQUEST FOR POLICE: PATROL VOIDED

CONFRIMED ACCIDENTAL Incident #: 15050664 Date: 2015-10-02 21:08:12 Type: MV DISABLED Location: SUMMER ST Disposition: LOG ENTRY INFO () Notes: OFF WITH A DMV Incident #: 15050665 Date: 2015-10-02 21:11:41 Type: FIRE CHIMNEY Disposition: SERVICES RENDER () Location: 245 CENTRAL ST Notes: HAS A CHIMNEY FIRE IN GAS FIRE PLACE Added by Update-and-Continue: More information to follow. GAS SHUT OFF, THEY HIT IT WITH A FIRE EXTINGUISHER, STILL GLOWING WILL WAIT OUTSIDE AS A PRECATION Added by Update-and-Continue: More information to follow. C3 HAS CMD, NOTHING SHOWING CMD REPORTS ST 1 AND 2 TO HANDLE CAN RETURN ST 3 CMD TERMINATED ALL UNITS AVAILABLE Incident #: 15050670 Date: 2015-10-02 22:00:00 Type: BUILDING CHK Location: HINGHAM MIDDLE SCHOOL / 1103 MAIN ST Disposition: LOG ENTRY INFO () Notes: **OUT ON A WALKTHROUGH CHECK SECURE**

Incident #: 15050671 Date: 2015-10-02 22:05:39 Type: MUTL AID GIVEN

Location: WHOLE FOODS / 94 DERBY ST Disposition: UNFOUNDED () Notes: WEYMOUTH PD REQUESTING CHECK OF THE AREA FOR OPERATOR OF THE MV. IS MISSING OUT OF WEYMOUTH. LIKE TO FREQUENT WHOLE FOODS. FEMALE HAS DEMENTIA. UNKNOWN CLOTHING BUT IS IN POSSESSION OF A CANVAS PURSE WITH LOBSTERS **NOTHING FOUND** Incident #: 15050672 Date: 2015-10-02 22:28:16 Type: BUILDING CHK Location: BEST CHEVROLET / 128 DERBY ST Disposition: LOG ENTRY INFO () Notes: **OUT ON A WLK THROUGH** Incident #: 15050673 Date: 2015-10-02 22:44:52 Type: BUILDING CHK Location: FOUNDRY POND RD / 101 KILBY ST Disposition: APPEARS SECURE () Notes: **PROPERTY CHECK CHECK SECURE** Incident #: 15050675 Date: 2015-10-02 23:02:51 Type: MV STOP Location: LINCOLN ST & SHIPYARD DR Disposition: CITATION ISSUED () Notes: **CLEAR CITATION**

Type: BUILDING CHK

Date: 2015-10-02 23:11:42

Incident #: 15050676

Location: SUNOCO, DERE	BY STREET SHOPPES (/ 87 DEF	RBY ST	Disposition: APPEARS SECURE ()
Notes			
Notes:			
PROPERTY CHCEK			
CHECK SECURE			
************	*******	******	************
Incident #: 15050677	Date: 2015-10-02 23:30:31	Type: BUIL	DING CHK
Location: NOTRE DAME	ACADEMY / 1073 MAIN ST	Dispositi	on: APPEARS SECURE ()
Notes:			
BUILDING CHECKS			
CLEAR SECURE			
*******	********	******	*************
Incident #: 15050678	Date: 2015-10-02 23:53:22	Type: TREE	DOWN
Location: CHIEF JUSTICE	CUSHING HWY & EAST ST	Dispositio	on: SERVICES RENDER ()
Notes:			
	ee down blockig the road east		
	and-Continue: More informat	tion to follov	N.
STATE DPW NOTIF			
E2 OAS E2 HAS CO			
911 WAS ABLE TO	REMOVE TREE TO SIDEWALK	IN THE ARE	A OF 192 EAST ST. UNITS CLEAR
ROADWAY OPENE			
		M ROAD, STA	ATE DPW ADV TO CUT UP TREE
INCIDENT CLOSED			
******	********	*******	************
*			